

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

073070539

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

073070547

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

073070521 073070703 073070711 073070760 073070786



## MATERIAL SAFETY DATA SHEET

### 1. Product And Company Identification

**Product Name:** CaviCide1™  
**Manufacturer:** METREX® RESEARCH  
28210 Wick Rd  
Romulus, MI 48174  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**MSDS Date Of Preparation/Revision:** 6/1/2012  
**Product Use:** Hard surface cleaner and disinfectant.  
**EPA Registration No:** 46781-12

### 2. Hazards Identification

Hazy to clear liquid with an alcohol odor.

### EMERGENCY OVERVIEW

Flammable liquid and vapor. Causes substantial but temporary eye injury. May cause mild skin irritation. Inhalation of concentrated vapors may cause irritation of the eyes, nose and throat and dizziness and drowsiness. Prolonged overexposure to ethylene glycol monobutyl ether may affect liver, kidneys, blood, lymphatic system or central nervous system.

### 3. Composition/Information On Ingredients

Component	CAS No.	Amount
Isopropanol	67-63-0	15%
Ethanol	64-17-5	7.5%
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	111-76-2	1-5%
Didecyldimethylammonium chloride	7173-51-5	0.76%
Water	7732-18-5	70-80%

### 4. First Aid Measures

**Inhalation:** Move to fresh air if effects occur and seek medical attention if effects persist.

**Skin Contact:** Remove contaminated clothing. Wash all affected and exposed areas with soap and water. If skin irritation or redness develops and persists, seek medical attention.



**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**Ingestion:** If swallowed, get medical advice by calling a Poison Control Center or hospital emergency room. If advice is not available, take victim and product container to the nearest emergency treatment center or hospital. Do not attempt to give anything by mouth to an unconscious person.

## 5. Fire Fighting Measures

**Extinguishing Media:** Use water spray or fog, alcohol-resistant foam, carbon dioxide or dry chemical. Cool fire exposed containers with water.

**Special Fire Fighting Procedures:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

**Unusual Fire Hazards:** Flammable liquid and vapor. May form explosive mixtures in air at temperatures at or above the flashpoint. Flammable vapors may collect in confined areas. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flashback. Fire exposed containers may rupture explosively.

**Hazardous Combustion Products:** Burning may produce carbon monoxide, carbon dioxide, ammonia, chlorine and hydrogen chloride.

## 6: Accidental Release Measures

Eliminate all ignition sources. Ventilate area. Use explosion-proof equipment if large amounts are released. Stop leak if it is safe to do so and move containers from the spill area. Wear appropriate protective clothing and equipment (See Section 8). Collect material with an inert absorbent material and place in appropriate, labeled container for disposal. Refer to Section 13 for disposal advice.

## 7. Handling and Storage

Do not get in eyes or on clothing. Wear appropriate eye protection when handling (see Section 8). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Flammable liquid and vapor. Keep away from heat, sparks, open flames and all other sources of ignition. Do not smoke in storage or use areas. Keep containers closed when not in use. Do not reuse empty containers.

Store in a cool, well ventilated area away from heat, oxidizers and all sources of ignition. Empty containers retain product residues and may be hazardous. Do not flame cut, drill, weld, etc. on or near empty containers, even empty.

<b>8. Exposure Controls / Personal Protection</b>
---

**Exposure Limits**

Chemical	Exposure Limit
Isopropanol	200 ppm TWA, 400 ppm STEL ACGIH TLV 400 ppm TWA OSHA PEL
Ethanol	1000 ppm STEL ACGIH TLV 1000 ppm TWA OSHA PEL
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	20 ppm TWA ACGIH TLV 50 ppm skin TWA OSHA PEL
Didecyldimethylammonium chloride	None Established

**Ventilation:** General ventilation should be adequate for normal use. For operations where the exposure limits may be exceeded, mechanical ventilation such as local exhaust may be needed to minimize exposure.

**Respiratory Protection:** None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, a NIOSH/MSHA approved respirator with an organic vapor cartridges or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Gloves:** Impervious gloves such as butyl rubber or nitrile are recommended for operations which may result in prolonged or repeated skin contact.

**Eye Protection:** Splash proof goggles, face shield, or safety glasses are recommended to prevent eye contact.

**Other Protective Equipment/Clothing:** Wear protective clothing if needed to avoid prolonged/repeated skin contact. Suitable washing and eye flushing facilities should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

<b>9. Physical and Chemical Properties</b>
--

**Appearance And Odor:** Hazy to clear liquid with an alcohol odor.

Boiling Point:	Not Determined	Specific Gravity:	0.964
Solubility in Water:	Complete	pH:	11.0 -12.49
Vapor Pressure:	19 kPa @ 20°C (ethanol)	Vapor Density:	5.87 (ethanol)
Percent Volatile:	>95%	Melting/Freezing Point:	Not Determined
Coefficient of Water/Oil Distribution:	Not Determined		
Flash Point:	34.4°C (93.4°F)	Flammable Limits:	LEL: 2.5% UEL: 19%

## 10. Stability and Reactivity

**Stability:** Stable

**Conditions To Avoid:** Heat, sparks, flames and all other sources of ignition.

**Incompatibility:** Strong oxidizing agents, acids and strong alkalis.

**Hazardous Decomposition Products:** Thermal decomposition will produce carbon monoxide, carbon dioxide, ammonia, chlorine and hydrogen chloride.

**Hazardous Polymerization:** Will not occur.

## 11. Toxicological Information

### Potential Health Effects:

#### Acute Hazards:

**Inhalation:** May cause irritation of the nose, throat and upper respiratory tract. High vapor concentrations may produce nausea, vomiting, headache, dizziness, drowsiness, weakness, fatigue, narcosis and possible unconsciousness. Not acutely toxic in rats.

**Skin Contact:** Prolonged or repeated exposure may cause mild irritation. No signs of toxicity or irritation were observed in a dermal toxicity study in rats. Slightly irritating in a primary irritation study with rabbits. Negative in a skin sensitization study with guinea pigs.

**Eye Contact:** May cause irritation with tearing, redness and pain. Moderate irritant in an eye irritation study with rabbits. Effects reversed in 10 days.

**Ingestion:** Ingestion may cause gastrointestinal disturbances and central nervous system effects such as headache, dizziness, drowsiness and nausea. Not acutely toxic in rats.

**Chronic Hazards:** Prolonged overexposure to ethylene glycol monobutyl ether may affect liver, kidneys, blood, lymphatic system or central nervous system. Prolonged or repeated exposure to ethanol may cause liver and kidney effects. Consumption of ethyl alcohol during pregnancy may cause mental retardation and other birth defects.

**Medical Conditions Aggravated By Exposure:** Due to its defatting properties, isopropyl alcohol may aggravate an existing skin condition. Ingestion of ethyl alcohol may aggravate an existing liver condition.

**Carcinogen:** None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

#### Acute Toxicity Values for CaviCide 1:

LD50 Oral Rat >5050 mg/kg

LD50 Dermal Rat >5000 mg/kg

LC50 inhalation LC50 rat >2.16 mg/L

## 12. Ecological Information

This product is classified as Acute and Chronic Aquatic Toxicity Category 3 based on the GHS criteria for aquatic toxicity. Harmful to aquatic life with long lasting effects.

**Toxicity:**

Ethanol: LC50 rainbow trout 13000 mg/L/96 hr; LC50 daphnia magna 9268-14221 mg/L/48 hr; EC50 Chlorella pyrenoidosa (Green algae; growth inhibition) 9310 mg/L/48 hr

Isopropanol: LC50 fathead minnows 11,130 mg/L/48 hr; LC50 brown shrimp 1400 mg/L/48 hr

Didecyldimethylammonium chloride: LC50 bluegill sunfish 0.32 mg/L/96 hr, EC50 daphnia magna 0.94 mg/L/48 hr.

**Persistence and degradability:** Ethanol, isopropanol and didecyldimethylammonium chloride are readily biodegradable in screening tests.

**Bioaccumulative Potential:** Ethanol and isopropanol have an estimated BCF of 3 suggesting that the potential for bioaccumulation is low. A BCF of 81 for didecyldimethylammonium chloride suggests bioconcentration in aquatic organisms is moderate.

**Mobility in Soil:** Ethanol and isopropanol are expected to have very high mobility in soil. If released to soil, didecyldimethylammonium chloride is expected to have no mobility based upon Koc values greater than  $4.4 \times 10^5$ .

## 13. Disposal Considerations

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Disposal:** Unused product or wastes resulting from the use of this product may be disposed of according to applicable Federal, State, or local procedures.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

## 14. Transport Information

**U.S. DOT Hazard Classification**

Proper Shipping Name: Not Regulated per alcohol exception (49CFR 173.150(e))

Technical Name: N/A

UN Number: N/A

Hazard Class/Packing Group: N/A

Labels Required: N/A

DOT MARINE POLLUTANTS: This product does not contain Marine Pollutants as defined in 49 CFR 171.8.

**IMDG Code Shipping Classification**

Proper Shipping Name: Alcohols, n.o.s. (Isopropanol, ethanol)

UN Number: UN1987

Hazard Class: 3

Packing Group: III



Labels Required: Flammable Liquid (Class 3)  
Placards Required: Class 3  
Not classified as a marine pollutant

ICAO Air Transport Classification  
Proper Shipping Name: Alcohols, n.o.s. (Isopropanol, ethanol)  
ID Number: UN1987  
Hazard Class: 3  
Packing Group: III  
Labels Required: Class 3

### 15. Regulatory Information

**EPA SARA 311/312 Hazard Classification:** Fire Hazard, Acute Health, Chronic Health

**EPA SARA 313:** This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):  
Ethylene Glycol Monobutyl Ether (Glycol Ether) 1-5%

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA TSCA Inventory:** All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

### 16. Other Information

NFPA Rating: Fire: 3      Health: 2      Instability: 0

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.

**SAFETY DATA SHEET**

**Section 1. Product And Company Identification**

**Product Name:** CaviCide 1™

**Product Use:** Hard surface cleaner and disinfectant wipe

**Manufacturer:** METREX® RESEARCH  
1717 W. Collins Ave.  
Orange, CA 92867  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** 08/5/21

**Section 2. Hazards Identification**

**GHS / HAZCOM 2012 Classification:**

Flammable Liquid Category 3  
Eye Irritation Category 2A

**Warning!**



Hazard Phrases

Flammable liquid and vapor.  
Causes serious eye irritation.

Prevention:

Keep away from heat, sparks, open flames, hot surfaces – No smoking.  
Keep container tightly closed.  
Use explosion-proof electrical, ventilating and light equipment.  
Take precautionary measures against static discharge.  
Wash thoroughly after handling.  
Wear eye protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.  
In case of fire: Use water spray or fog, alcohol-resistant foam, carbon dioxide or dry chemical to extinguish.



Storage

Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents and container in accordance with local and national regulations.

**Other hazards:** None

### Section 3. Composition/Information On Ingredients

Component	CAS No.	Amount
Water	7732-18-5	70-80%
Isopropanol	67-63-0	15%
Ethanol	64-17-5	7.5%
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	111-76-2	1-5%
Didecyldimethylammonium chloride	7173-51-5	0.76%

### Section 4. First Aid Measures

**Inhalation:** Remove to fresh air. If breathing is difficult, get medical attention.

**Skin Contact:** Wash skin with soap and water. Get medical attention if irritation persists. Remove contaminated clothing and launder before re-use.

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice.

**Ingestion:** Not a normal route of exposure for a wipe. Rinse mouth with water. Never give anything by mouth to an unconscious person. Get medical attention.

**Most Important symptoms and effects, both acute and delayed:** Causes eye irritation. Prolonged skin contact may cause irritation. Ingestion may cause gastric upset and nausea.

**Indication of any immediate medical attention and special treatment needed:** Immediate medical attention is not required.

### Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use water spray or fog, alcohol-resistant foam, carbon dioxide or dry chemical. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Flammable liquid and vapor. Product will burn vigorously if it comes in contact with any ignition source. Combustion may produce carbon monoxide, carbon dioxide, nitrogen oxides, amines, chlorine and hydrogen chloride.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

**Section 6: Accidental Release Measures**

**Personal precautions, Protective equipment, and Emergency procedures:** Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Ventilate the area. Wear appropriate protective clothing as described in Section 8.

**Environmental Precautions:** Avoid release to the environment. Report spill as required by local and federal regulations.

**Methods and Material for Containment and Cleaning Up:** Pick up wipe and place into a container for disposal. Do not flush to the sewer. Dispose of container in trash. Do not reuse or refill the canister.

**Section 7. Handling and Storage**

**Precautions for Safe Handling:** Do not get in eyes or on clothing. Avoid prolonged contact with skin. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Wash contaminated clothing before reuse.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, well ventilated area away from heat and all sources of ignition.

**Section 8. Exposure Controls / Personal Protection**

**Exposure Limits**

Chemical	Exposure Limit
Water	None Established
Isopropanol	200 ppm TWA, 400 ppm STEL ACGIH TLV 400 ppm TWA OSHA PEL
Ethanol	1000 ppm STEL ACGIH TLV 1000 ppm TWA OSHA PEL
Ethylene Glycol Monobutyl Ether (2-Butoxyethanol)	20 ppm TWA ACGIH TLV 50 ppm TWA OSHA PEL (skin)
Didecyldimethylammonium chloride	None Established

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposures below the occupational exposure limits.

**Respiratory Protection:** None normally required.

**Hand protection:** Impervious gloves such as butyl rubber or nitrile are recommended for operations which may result in prolonged or repeated skin contact.

**Eye Protection:** None required for normal use. If liquid splashing is possible, wear splash proof goggles to prevent eye contact.

**Skin Protection:** Wear protective clothing if needed to avoid skin contact. Contaminated clothing should be removed and laundered before re-use.

**Hygiene measures:** Suitable eye wash and washing facilities should be available in the work area.

**Other:** None required under normal conditions of use.

## Section 9. Physical and Chemical Properties

The following data applies to the liquid saturant.

<b>Appearance:</b>	Hazy to clear liquid on a white towelette	<b>Odor:</b>	Alcohol
<b>Odor Threshold:</b>	0.001 ppm (ethylene glycol monobutyl ether)	<b>pH:</b>	8.5-12.49
<b>Melting/Freezing Point:</b>	Not determined	<b>Boiling Point/Range:</b>	Not determined
<b>Flash Point:</b>	34.4°C (93.4°F)	<b>Evaporation Rate:</b>	Not determined
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: 2.5% UEL: 19%
<b>Vapor Pressure:</b>	19 kPa @ 20°C (ethanol)	<b>Vapor Density:</b>	5.87 (ethanol)
<b>Relative Density:</b>	0.964	<b>Solubilities:</b>	Completely soluble in water
<b>Partition Coefficient: (N-Octanol/Water)</b>	Not determined	<b>Autoignition Temperature:</b>	Not determined
<b>Decomposition Temperature:</b>	Not determined	<b>Viscosity:</b>	Not determined

## Section 10. Stability and Reactivity

**Reactivity:** Not reactive at ambient temperatures.

**Chemical Stability:** Stable.

**Possibility of Hazardous Reactions:** Not reactive.

**Conditions to avoid:** Heat, sparks, flames and all other sources of ignition.

**Incompatible Materials:** Strong oxidizing agents, acids and strong reducing agents.

**Hazardous decomposition products:** Thermal decomposition will produce carbon monoxide, carbon dioxide, nitrogen oxides, amines, chlorine and hydrogen chloride.

## Section 11. Toxicological Information

**Potential Health Effects:**

The following applies to the liquid saturant. The towelette is not hazardous.

**Inhalation:** Inhalation of vapors may cause irritation of the nose and throat. High vapor concentrations may produce nausea, vomiting, headache, dizziness, drowsiness, weakness, fatigue, narcosis and possible unconsciousness. Not acutely toxic in rats.

**Skin Contact:** Prolonged or repeated exposure may cause irritation and redness. No signs of toxicity or irritation were observed in a dermal toxicity study in rats. Slightly irritating in a primary irritation study with rabbits. Negative in a skin sensitization study with guinea pigs.

**Eye Contact:** May cause irritation with tearing, redness and pain. Moderate irritant in an eye irritation study with rabbits. Effects reversed in 10 days.

**Ingestion:** Ingestion may cause gastrointestinal disturbances and central nervous system effects such as headache, dizziness, drowsiness, and nausea. Not acutely toxic in rats.

**Chronic Hazards:** None known.

**Carcinogen:** None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Acute Toxicity Values for CaviCide1:**

LD50 Oral Rat >5050 mg/kg, LD50 Dermal Rat >5000 mg/kg, LC50 inhalation LC50 rat >2.16 mg/L

## Section 12. Ecological Information

This product is classified as Acute Aquatic Toxicity Category 3 based on the GHS criteria for aquatic toxicity. Harmful to aquatic life.

**Toxicity:** No toxicity data available for product.

Ethanol: LC50 rainbow trout 13000 mg/L/96 hr; LC50 daphnia magna 9268-14221 mg/L/48 hr; EC50 Chlorella pyrenoidosa (Green algae; growth inhibition) 9310 mg/L/48 hr

Isopropanol: LC50 fathead minnows 11,130 mg/L/48 hr; LC50 brown shrimp 1400 mg/L/48 hr

Didecyldimethylammonium chloride: LC50 bluegill sunfish 0.32 mg/L/96 hr, EC50 daphnia magna 0.94 mg/L/48 hr.

**Persistence and degradability:** Ethanol, isopropanol and didecyldimethylammonium chloride are readily biodegradable in screening tests.

**Bioaccumulative Potential:** Ethanol and isopropanol have an estimated BCF of 3 suggesting that the potential for bioaccumulation is low. A BCF of 81 for didecyldimethylammonium chloride suggests bioconcentration in aquatic organisms is moderate.

**Mobility in Soil:** Ethanol and isopropanol are expected to have very high mobility in soil. If released to soil, didecyldimethylammonium chloride is expected to have no mobility in soil.

**Other Adverse Effects:** None known.

**Section 13. Disposal Considerations**

**Towelette Disposal:** Do not reuse towelette. Dispose of used towelette in trash. Do not flush wipes down toilet.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling is not available, discard in accordance with hospital policy.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	None	Not Regulated per alcohol exception (49CFR 173.150(e))	None	None	None
<b>EU ADR/RID</b>	UN1987	Alcohols, n.o.s. (Isopropanol, ethanol)	3	III	None
<b>IMDG</b>	UN1987	Alcohols, n.o.s. (Isopropanol, ethanol)	3	III	None
<b>IATA/ICAO</b>	UN1987	Alcohols, n.o.s. (Isopropanol, ethanol)	3	III	None

**Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):** Not applicable – product is transported only in packaged form.

**Special precautions:** None identified

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):**

Ethylene Glycol Monobutyl Ether (Glycol Ether)	111-76-2	1-5%
---	----------	------

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA Registered Pesticide:** This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety

data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**WARNING!**

Causes substantial but temporary eye irritation.

Do not get in eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Keep out of reach of children.

Combustible. Do not use or store near heat or open flame.

**International Inventories**

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Japan:** All of the components in this product are listed on the Japanese Existing and New Chemical Substances (ENCS) inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

**Philippines:** All of the components of this product are listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS) or exempt.

**Taiwan:** All of the components of this product are listed on the National Existing Chemical Inventory (NECI) in Taiwan or exempt.

<b>Section 16. Other Information</b>
--------------------------------------

**Effective Date:** August 5, 2021

**Supersedes Date:** April 30, 2019

**Revision Summary:** N/A

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, METREX® RESEARCH makes no warranty with respect to the accuracy or suitability of the recommendations and assumes no liability to any use thereof.