SAFETY DATA SHEETS

This SDS packet was issued with item: 071047208

N/A



SAFETY DATA SHEET

1. Identification

Product identifier	Aluminum Oxide 27µm 50µm 90µm		
Other means of identification			
Document number	SDS-014-ZD REV A		
Recommended use	Abrasive.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Supplier			
Company name	Danville Materials		
Address	2875 Loker Avenue East		
	Carlsbad, CA 92010		
Telephone	1-800-827-7940		
Contact	Customer Service		
E-mail	danvillecs@zestdent.com		
Website	www.zestdent.com		
Emergency telephone number	800-451-8346 / 760-602-8703		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity (inhalation)	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Suspected of causing cancer by inhalation.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Aluminum oxide	1344-28-1	95 - < 99
Silicon dioxide	7631-86-9	< 5
Titanium dioxide	13463-67-7	< 5

Aluminum Oxide 27µm 50µm 90µm

Composition comments

4. First-aid measures

and precautions for firefighters

6. Accidental release measures

equipment/instructions

Personal precautions,

emergency procedures

protective equipment and

Methods and materials for

Environmental precautions 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

containment and cleaning up

so without risk.

Fire fighting

Specific methods General fire hazards

	•	•	•	
leasures				

All concentrations are in percent by weight.

Inhalation	In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure to dust may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If exposed or concerned: get medical attention/advice. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	No restrictions known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Product is nonflammable and does not support combustion.

container. Following product recovery, flush area with water.

containers. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

equipment. Observe good industrial hygiene practices.

incompatible materials (see Section 10 of the SDS).

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Use standard firefighting procedures and consider the hazards of other involved materials.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear

spillages cannot be contained. For personal protection, see section 8 of the SDS.

appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

Obtain special instructions before use. Do not handle until all safety precautions have been read

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store in a dry

place. Avoid contact with water and moisture. This product is hygroscopic. Store away from

and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective

using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 C	FR 1910.1000)		
Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
Titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
·		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Lin	nit Values		
Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide Components	e to Chemical Hazards Type	Value	
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3	
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation should be us applicable, use process enclosures, le maintain airborne levels below recom established, maintain airborne levels sufficient to maintain concentrations of (OEL), suitable respiratory protection operation which may generate dusts, below the recommended exposure lin	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. If engir of dust particulates below the 0 must be worn. If material is gr use appropriate local exhaust	er engineering controls to posure limits have not been neering measures are not Occupational Exposure Limi ound, cut, or used in any
vidual protection measure Eye/face protection	es, such as personal protective equipm Wear safety glasses with side shields		respirator, if needed.
			respirator, if needed.
Eye/face protection		s (or goggles). Wear a full-face	
Eye/face protection Skin protection	Wear safety glasses with side shields Wear appropriate chemical resistant	s (or goggles). Wear a full-face	
Eye/face protection Skin protection Hand protection	Wear safety glasses with side shields Wear appropriate chemical resistant	s (or goggles). Wear a full-face gloves. Suitable gloves can be	recommended by the glov
Eye/face protection Skin protection Hand protection Skin protection	Wear safety glasses with side shields Wear appropriate chemical resistant of supplier.	s (or goggles). Wear a full-face gloves. Suitable gloves can be hirts and long pants) is recomm n airborne concentrations belo eptable level (in countries whe rator must be worn. Wear NIO	recommended by the glove mended. w recommended exposure re exposure limits have not

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	White, Brown.
Odor	Not available.
Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Product is nonflammable and does not support combustion.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not applicable.
Explosive limit - upper (%)	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	Not applicable.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid contact with water and moisture. The product is hygroscopic and will absorb water by contact with the moisture in the air. Avoid dust formation.
Incompatible materials	Acids. Chlorine. Fluorine.
Hazardous decomposition products	Decomposition is not expected under normal conditions of use and storage.
11 Toxicological informat	lion

11. Toxicological information

Information on likely routes of exposure

Inhalation	Suspected of causing cancer by inhalation. Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.

Aluminum Oxide 27µm 50µm 90µm

May cause discomfort if swallowed.

Ingestion Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure to dust may cause chronic effects.

Information on toxicological effects

Acute toxicity	Not expected to be acute			
Components	Species	Test Results		
Silicon dioxide (CAS 7631-86-9)				
Acute				
Dermal				
LD50	Rabbit	> 5000 mg/kg, 24 Hours		
Inhalation				
Dust	Det			
LC50	Rat	> 0.14 mg/l, 4 Hours		
Oral	D. I			
LD50	Rat	> 3300 mg/kg		
Titanium dioxide (CAS 13463-67-	7)			
Acute				
Inhalation	Det			
LC50	Rat	3.43 mg/l, 4 Hours		
Oral	Dat			
LD50	Rat	> 5000 mg/kg		
Skin corrosion/irritation	-	ay cause temporary irritation.		
Serious eye damage/eye rritation	Direct contact with eyes	nay cause temporary irritation.		
Respiratory or skin sensitization	า			
Respiratory sensitization	Not a respiratory sensitiz	r.		
Skin sensitization	This product is not expe	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Suspected of causing cancer by inhalation.			
IARC Monographs. Overall	Evaluation of Carcinoger	city		
Silicon dioxide (CAS 763		3 Not classifiable as to carcinogenicity to humans.		
Titanium dioxide (CAS 13 NTP Report on Carcinogen		2B Possibly carcinogenic to humans.		
Not listed. OSHA Specifically Regulate	d Substances (29 CFR 1	10.1001-1053)		
Not regulated.				
Reproductive toxicity	This product is not expe	ed to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard			
Chronic effects	Prolonged inhalation ma	be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological information	ı			
Ecotoxicity	The product is not classi	ed as environmentally hazardous.		
Persistence and degradability	The product solely consi	s of inorganic compounds which are not biodegradable.		
Bioaccumulative potential	No data available on bio	ccumulation.		
Mobility in soil	No data available for this	product.		
Other adverse effects		mental effects (e.g. ozone depletion, photochemical ozone creation otion, global warming potential) are expected from this component.		
Aluminum Oxide 27um 50um 90um		SD		

Aluminum Oxide 27µm 50µm 90µm

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations	This product is a "Haz Standard, 29 CFR 19		defined by the OSHA Hazard Communic	ation
TSCA Section 12(b) Export				
Not regulated.		, easpa 2)		
CERCLA Hazardous Substa	nce List (40 CFR 302.4	L)		
Not listed.				
SARA 304 Emergency released	se notification			
Not regulated.				
OSHA Specifically Regulate	d Substances (29 CFR	1910.1001-1053)		
Not regulated.				
Superfund Amendments and Re		986 (SARA)		
SARA 302 Extremely hazard	lous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Carcinogenicity			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminum oxide		1344-28-1	95 - < 99	
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Po	ollutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section	112(r) Accidental Rel	ease Prevention (40	CFR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. Massachusetts RTK - S	ubstance List			
Aluminum oxide (CAS 13				
Silicon dioxide (CAS 763				
Titanium dioxide (CAS 13	463-67-7)			

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1) Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1) Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1) Titanium dioxide (CAS 13463-67-7)

California Proposition 65



WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Listed: September 2, 2011

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium dioxide (CAS 13463-67-7)

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Titanium dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes	
Canada	Domestic Substances List (DSL)	Yes	
Canada	Non-Domestic Substances List (NDSL)	No	
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes	
Korea	Existing Chemicals List (ECL)	Yes	
New Zealand	New Zealand Inventory	Yes	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	
*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)			

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-June-2018
Revision date	-
Version #	01
NFPA ratings	

Disclaimer

Danville Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.