SAFETY DATA SHEETS

This SDS packet was issued with item:

071459221

N/A



Section: 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : | QUIK-CARE GEL WATERLESS HAND SANITIZER |
|-------------------------------|---|---|
| Other means of identification | : | Not applicable. |
| Recommended use | : | Skin antiseptic |
| Restrictions on use | : | Reserved for industrial and professional use. |
| Product dilution information | | Product is sold ready to use. |
| Company | : | Ecolab Co. 5105 Tomken Road Mississauga, Ontario Canada L4W 2X5 1-800-352-5326 |
| Emergency health information | : | 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US) |
| Issuing date | : | 07/17/2020 |

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

| Flammable liquids Eye irritation | : Category 3 : Category 2A |
|-------------------------------------|---|
| GHS Label element | |
| Hazard pictograms | |
| Signal Word | : Warning |
| Hazard Statements | : Flammable liquid and vapour. Causes serious eye irritation. |
| Precautionary Statements | Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/ container to an approved waste disposal plant. |
| Other hazards | : None known. |

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical Name ethanol Isopropyl Alcohol | | CAS-No. 64-17-5 67-63-0 | Concentration: (%) 60 - 100 5 - 10 |
|---|------|--|---|
| Section: 4. FIRST AID MEAS | URES | | |
| In case of eye contact | : Ri | se with water. | |
| In case of skin contact | : Ri | se with water. | |
| If swallowed | : Ri | se mouth. Get medical attention i | f symptoms occur. |
| If inhaled | : G | t medical attention if symptoms or | ccur. |
| Protection of first-aiders | : N | special precautions are necessar | y for first aid responders. |
| Notes to physician | : Ti | eat symptomatically. | |
| Most important symptoms and effects, both acute and delayed | | e Section 11 for more detailed infont not not on the section 11 for more detailed infont not one of the section the section of | ormation on health effects and |

| Section: 5. FIREFIGHTING ME | EASURES | |
|---|---|--|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | |
| Unsuitable extinguishing media | : High volume water jet | |
| Specific hazards during firefighting | Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. | |
| Hazardous combustion products | : Decomposition products may include the following materials: Carbon oxides | |
| Special protective equipment and precautions for firefighters | : Use personal protective equipment. | |
| Specific extinguishing methods | : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. | |
| Risk of explosion. | : Not available. | |
| Section: 6. ACCIDENTAL RELEASE MEASURES | | |
| Personal precautions, protective equipment and emergency procedures | : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. | |

Environmental precautions : Do not allow contact with soil, surface or ground water.

| Methods and materials for containment and cleaning up | Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |
|---|---|
| Section: 7. HANDLING AND ST | ORAGE |
| Advice on safe handling | Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). |
| Conditions for safe storage | Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. |
| Storage temperature | 0 °C to 35 °C |

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| 0 | | E | Described | Duri |
|-------------------|---------|------------------|------------------------------|------------|
| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
| ethanol | 64-17-5 | TWA | 1,000 ppm 1,880 mg/m3 | CAD AB OEL |
| | | STEL | 1,000 ppm | CAD BC OEL |
| | | VME | 1,000 ppm 1,880 mg/m3 | OEL (QUE) |
| ethanol | 64-17-5 | TWA | 1,000 ppm 1,900 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 1,900 mg/m3 | OSHA Z1 |
| Isopropyl Alcohol | 67-63-0 | TWA | 200 ppm 492 mg/m3 | CAD AB OEL |
| | | STEL | 400 ppm 984 mg/m3 | CAD AB OEL |
| | | TWA | 200 ppm | CAD BC OEL |
| | | STEL | 400 ppm | CAD BC OEL |
| | | VME | 400 ppm 983 mg/m3 | OEL (QUE) |
| | | STEV | 500 ppm 1,230 mg/m3 | OEL (QUE) |
| Isopropyl Alcohol | 67-63-0 | TWA | 200 ppm | ACGIH |
| | | STEL | 400 ppm | ACGIH |
| | | TWA | 400 ppm 980 mg/m3 | NIOSH REL |
| | | STEL | 500 ppm 1,225 mg/m3 | NIOSH REL |
| | | TWA | 400 ppm | OSHA Z1 |

| | 980 |) mg/m3 |
|-----------------------------|--|----------------------------|
| Engineering measures | ctive exhaust ventilation system. w occupational exposure standar | |
| Personal protective equipme | | |
| Eye protection | special protective equipment requ | lired. |
| Hand protection | special protective equipment requ | lired. |
| Skin protection | special protective equipment requ | uired. |
| Respiratory protection | personal respiratory protective eq | uipment normally required. |
| Hygiene measures | specific measures identified. | |

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | gel |
|--|---|--------------------|
| Colour | : | clear, colourless |
| Odour | : | alcohol-like |
| рН | : | 6.6 - 7.5, (100 %) |
| Flash point | : | 24 °C closed cup |
| Odour Threshold | : | no data available |
| Melting point/freezing point | : | no data available |
| Initial boiling point and boiling range | : | no data available |
| Evaporation rate | : | no data available |
| Flammability (solid, gas) | : | Not applicable. |
| Upper explosion limit | : | no data available |
| Lower explosion limit | : | no data available |
| Vapour pressure | : | no data available |
| Relative vapour density | : | no data available |
| Relative density | : | 0.84 - 0.844 |
| Water solubility | : | no data available |
| Solubility in other solvents | : | no data available |
| Partition coefficient: n- octanol/water | : | no data available |
| Auto-ignition temperature | : | no data available |
| Thermal decomposition | : | no data available |
| Viscosity, kinematic | : | no data available |
| Explosive properties | : | no data available |
| Oxidizing properties | : | no data available |
| Molecular weight | : | no data available |
| VOC | : | no data available |

Section: 10. STABILITY AND REACTIVITY

| Reactivity | : | No dangerous reaction known under conditions of normal use. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | : | Heat, flames and sparks. |
| Incompatible materials | : | None known. |
| Hazardous decomposition products | : | In case of fire hazardous decomposition products may be produced such as: Carbon oxides |

Section: 11. TOXICOLOGICAL INFORMATION

| Information on likely routes of | : | Inhalation, Eye contact, Skin contact |
|---------------------------------|---|---------------------------------------|
| exposure | | |

Potential Health Effects

| Eyes | : | Causes serious eye irritation. |
|----------------------------|----|--|
| Skin | : | Health injuries are not known or expected under normal use. |
| Ingestion | : | Health injuries are not known or expected under normal use. |
| Inhalation | : | Health injuries are not known or expected under normal use. |
| Chronic Exposure | : | Health injuries are not known or expected under normal use. |
| Experience with human expo | รบ | ire |
| Eye contact | : | Redness, Pain, Irritation |
| Skin contact | : | No symptoms known or expected. |
| Ingestion | : | No symptoms known or expected. |
| Inhalation | : | No symptoms known or expected. |
| | | No symptoms known or expected. |
| Toxicity | | |
| Product | | |
| Acute oral toxicity | : | no data available |
| Acute inhalation toxicity | : | 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapour |
| Acute dermal toxicity | | no data available |

| Serious eye damage/eye irritation | : | no data available |
|-----------------------------------|---|--|
| Respiratory or skin sensitization | : | no data available |
| Carcinogenicity | : | no data available |
| Reproductive effects | : | no data available |
| Germ cell mutagenicity | : | no data available |
| Teratogenicity | : | no data available |
| STOT - single exposure | : | The substance or mixture is not classified as specific target organ toxicant, single exposure. |
| STOT - repeated exposure | : | no data available |
| Aspiration toxicity | : | no data available |
| Components | | |
| Acute oral toxicity | : | ethanol LD50 rat: 10,470 mg/kg |
| | | Isopropyl Alcohol LD50 rat: 5,840 mg/kg |
| Components | | |
| Acute dermal toxicity | : | ethanol LD50 rabbit: > 15,800 mg/kg |
| | | Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg |

Section: 12. ECOLOGICAL INFORMATION

| This product has no known ecotoxicological effects. | | | |
|---|--|--|--|
| | | | |
| no data available | | | |
| no data available | | | |
| no data available | | | |
| | | | |
| ethanol 96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l | | | |
| Isopropyl Alcohol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l | | | |
| | | | |
| Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l | | | |
| Persistence and degradability | | | |
| | | | |
| | | | |

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

| no data available | | | | | |
|--------------------------------------|---|--|--|--|--|
| Section: 13. DISPOSAL CONSIDERATIONS | | | | | |
| Disposal methods | : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. | | | | |
| Disposal considerations | : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations. | | | | |

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

| UN number | : 1170 |
|---------------------------|--------------------|
| Description of the goods | : ETHANOL SOLUTION |
| Class | : 3 |
| Packing group | : 111 |
| Environmentally hazardous | : No |

Sea transport (IMDG/IMO)

| UN number | : 1170 |
|--------------------------|--------------------|
| Description of the goods | : ETHANOL SOLUTION |
| Class | : 3 |
| Packing group | : 111 |
| Marine pollutant | : No |

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

| Natural Health Product | : 02239251 |
|------------------------|------------|
| (NHP) | |

NPRI Components : Isopropyl Alcohol

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations : not determined

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act : not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : not determined

Japan. ENCS - Existing and New Chemical Substances Inventory : not determined

Korea. Korean Existing Chemicals Inventory (KECI) : not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : not determined


China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

not determined

Section: 16. OTHER INFORMATION



| Issuing date | : | 07/17/2020 |
|--------------|---|-----------------------------------|
| Version | : | 1.2 |
| Prepared by | : | Regulatory Affairs 1-800-352-5326 |

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.