## **SAFETY DATA SHEETS**

# This SDS packet was issued with item:

071719392

N/A

Chemwatch Independent Material Safety Data Sheet Issue Date: 7-Oct-2009 C9317TC

CHEMWATCH 4613-52 Version No:4 CD 2009/3 Page 1 of 4

## Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT NAME

DENTSPLY ENHANCE RESIN BLEND

#### **PRODUCT USE**

Dental restorations.

#### **SUPPLIER**

Company: DENTSPLY (AUSTRALIA) PTY LTD Address: 11- 21 Gilby Road Mount Waverley VIC 3149 AUSTRALIA

Telephone: 1300 55 29 29

Emergency Tel: 1300 55 29 29 (Hours of operation: Monday - Friday 9:00 am - 5:00 pm EST; General

information only) Fax: +61 3 9538 8260

### **Section 2 - HAZARDS IDENTIFICATION**

#### STATEMENT OF HAZARDOUS NATURE

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

#### **POISONS SCHEDULE**

None

## RISK

- Irritating to eyes and skin.
- May cause SENSITISATION by skin contact.

#### SAFETY

- Do not breathe dust.
- Avoid contact with skin.
- Wear eye/face protection.
- To clean the floor and all objects contaminated by this material use water and detergent.
- In case of contact with eyes rinse with plenty of water and contact Doctor or Poisons Information Centre.
- If swallowed IMMEDIATELY contact Doctor or Poisons Information Centre. (show this container or label).

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME CAS RN % urethane dimethacrylate resin 100

## **Section 4 - FIRST AID MEASURES**

### **SWALLOWED**

- - Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

#### EYE

- If this product comes in contact with the eyes:
- Immediately hold eyelids apart and flush the eye continuously with running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

#### SKIN

- If skin contact occurs:
- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).

## INHALED

- - If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

Chemwatch Independent Material Safety Data Sheet Issue Date: 7-Oct-2009 C9317TC

CHEMWATCH 4613-52 Version No:4 CD 2009/3 Page 2 of 4 Section 4 - FIRST AID MEASURES

#### **NOTES TO PHYSICIAN**

Treat symptomatically.

## **Section 5 - FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

- - Water spray or fog.
- Foam.

#### **FIRE FIGHTING**

- - Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.

#### FIRE/EXPLOSION HAZARD

- - Non combustible
- Not considered a significant fire risk, however containers may burn.

Decomposition may produce toxic fumes of: carbon dioxide (CO2), carbon monoxide (CO), other pyrolysis products typical of burning organic material. May emit corrosive fumes.

#### FIRE INCOMPATIBILITY

■ - Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

**HAZCHEM: None** 

### PERSONAL PROTECTION

Glasses:

Full face- shield.

Gloves:

PVC chemical resistant type.

Respirator:

#### Section 6 - ACCIDENTAL RELEASE MEASURES

## MINOR SPILLS

- - Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.

#### **MAJOR SPILLS**

- Minor hazard.
- Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

## Section 7 - HANDLING AND STORAGE

### PROCEDURE FOR HANDLING

- - Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.

## **SUITABLE CONTAINER**

- - Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.

## STORAGE INCOMPATIBILITY

■ - Avoid reaction with oxidising agents.

## STORAGE REQUIREMENTS

- - Store in original containers.
- Keep containers securely sealed.

Refrigerated storage normally required.

- Store below 38 deg. C.

Chemwatch Independent Material Safety Data Sheet Issue Date: 7-Oct-2009 C9317TC

CHEMWATCH 4613-52 Version No:4 CD 2009/3 Page 3 of 4

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE CONTROLS**

#### PERSONAL PROTECTION

#### EYE

- - Chemical goggles.
- Full face shield may be required for supplementary but never for primary protection of eyes.

#### HANDS/FEET

- - Wear chemical protective gloves, eg. PVC.
- Wear safety footwear or safety gumboots, eg. Rubber.

NOTE:

- The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

#### **OTHER**

- - Overalls.
- P.V.C. apron.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

#### **ENGINEERING CONTROLS**

■ General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances.

#### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### **APPEARANCE**

Yellow, viscous liquid with a characteristic odour; does not mix with water.

#### **PHYSICAL PROPERTIES**

Does not mix with water.

Molecular Weight: Not Applicable
Melting Range (°C): Not Available
Solubility in water (g/L): Immiscible
pH (1% solution): Not Available
Volatile Component (%vol): Not Available
Relative Vapour Density (air=1): Not Applicable
Lower Explosive Limit (%): Not Available
Autoignition Temp (°C): Not Available
State: Free- flowing Paste

Boiling Range (°C): >200
Specific Gravity (water=1): 1.0 approx. pH (as supplied): Not Available
Vapour Pressure (kPa): Not Applicable
Evaporation Rate: Not Applicable
Flash Point (°C): Not Applicable
Upper Explosive Limit (%): Not Available
Decomposition Temp (°C): Not Available
Viscosity: Not Available

## Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

#### **CONDITIONS CONTRIBUTING TO INSTABILITY**

- - Elevated temperatures.
- Presence of open flame.

For incompatible materials - refer to Section 7 - Handling and Storage.

## Section 11 - TOXICOLOGICAL INFORMATION

#### **POTENTIAL HEALTH EFFECTS**

ACUTE HEALTH EFFECTS

Irritating to eyes and skin.

CHRONIC HEALTH EFFECTS

■ May cause SENSITISATION by skin contact.

## TOXICITY AND IRRITATION

■ Not available. Refer to individual constituents.

Chemwatch Independent Material Safety Data Sheet Issue Date: 7-Oct-2009 C9317TC

CHEMWATCH 4613-52 Version No:4 CD 2009/3 Page 4 of 4

### **Section 12 - ECOLOGICAL INFORMATION**

No data

**Ecotoxicity** 

Ingredient

Dentsply Enhance Resin Blend

Persistence: Water/Soil

Persistence: Air No data Bioaccumulat ion

Mobility

## **Section 13 - DISPOSAL CONSIDERATIONS**

- - Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.

#### Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None (ADG7)

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: ADG7, UN, IATA, IMDG

## **Section 15 - REGULATORY INFORMATION**

**POISONS SCHEDULE: None** 

**REGULATIONS** 

No data for Dentsply Enhance Resin Blend (CW: 4613-52)

## **Section 16 - OTHER INFORMATION**

- Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

  A list of reference resources used to assist the committee may be found at:

  www.chemwatch.net/references.
- The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 7-Oct-2009 Print Date: 7-Oct-2009

This is the end of the MSDS.

## **Dentsply Enhance Resin Blend**

**Dentsply Sirona Pty Ltd** 

Chemwatch: **4613-52** 

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **27/06/2017** Print Date: **09/01/2018** S.GHS.AUS.EN

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### **Product Identifier**

Version No: 4.1.1.1

Product name	Dentsply Enhance Resin Blend
Synonyms	Not Available
Other means of identification	Not Available

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Dental restorations.

### Details of the supplier of the safety data sheet

Registered company name	Dentsply Sirona Pty Ltd
Address	11-21 Gilby Road Mount Waverley VIC 3149 Australia
Telephone	1300 55 29 29
Fax	1300 55 31 31
Website	www.dentsply.com.au
Email	clientservices@dentsplysirona.com

### Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	1300 55 29 29
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

## CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0	1	
Toxicity	0		0 = Minimum
Body Contact	2		1 = Low 2 = Moderate 3 = High
Reactivity	1		
Chronic	2		4 = Extreme

Poisons Schedule	Not Applicable		
Classification [1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Skin Sensitizer Category 1		
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI		

## Label elements

Hazard pictogram(s)



SIGNAL WORD WARNING

## Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

## Precautionary statement(s) Prevention

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

### Page 2 of 6

## Issue Date: 27/06/2017 Print Date: 09/01/2018

### **Dentsply Enhance Resin Blend**

P261	Avoid breathing mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.

### Precautionary statement(s) Response

P362	Take off contaminated clothing and wash before reuse.		
P302+P352	F ON SKIN: Wash with plenty of soap and water.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
Not Available	100	urethane dimethacrylate resin

### **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

May emit corrosive fumes.

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

## Extinguishing media

- ▶ Water spray or fog.
- Foam.
- Dry chemical powder.
- ► BCF (where regulations permit).

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result			
Advice for firefighters				
Fire Fighting  Fire Fighting  Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire.  Prevent, by any means available, spillage from entering drains or water courses.  Use fire fighting procedures suitable for surrounding area.				
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>Decomposition may produce toxic fumes of:         <ul> <li>carbon dioxide (CO2)</li> <li>carbon monoxide (CO)</li> <li>other pyrolysis products typical of burning organic material.</li> </ul> </li> </ul>			

Chemwatch: **4613-52**Version No: **4.1.1.1** 

Page 3 of 6

### **Dentsply Enhance Resin Blend**

Issue Date: **27/06/2017**Print Date: **09/01/2018** 

**HAZCHEM** 

Not Applicable

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills

- ▶ Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- ► Control personal contact with the substance, by using protective equipment.
- ► Contain and absorb spill with sand, earth, inert material or vermiculite.

Major Spills

Minor hazard.

- Clear area of personnel.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- ► Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

### Precautions for safe handling

Safe handling

- ▶ Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

Other information

- Store in original containers.
- Keep containers securely sealed.
- ► Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers

Refrigerated storage normally required

Store below 38 deg. C.

## Conditions for safe storage, including any incompatibilities

Suitable container

- ${\color{red} \blacktriangleright} \ \ {\rm Polyethylene} \ {\rm or} \ {\rm polypropylene} \ {\rm container}.$
- Packing as recommended by manufacturer.
- ► Check all containers are clearly labelled and free from leaks.

Storage incompatibility

► Avoid reaction with oxidising agents

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

## EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Dentsply Enhance Resin Blend	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
urethane dimethacrylate resin	Not Available		Not Available	

## **Exposure controls**

## Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

## Personal protection









## Eye and face protection

- Chemical goggles
- ▶ Full face shield may be required for supplementary but never for primary protection of eyes.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
- Skin protection

e Hand protection below

Obtained by Global Safety Management, www.globalsafetynet.com, (877) 683-7460

Chemwatch: 4613-52 Page 4 of 6

Issue Date: 27/06/2017 Version No: **4.1.1.1** Print Date: 09/01/2018 **Dentsply Enhance Resin Blend** 

Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.</li> </ul>
Body protection	See Other protection below
Other protection	Overalls.     P.V.C. apron.     Barrier cream.
Thermal hazards	Not Available

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Yellow, viscous liquid with a characteristic odour; does not mix with water.		
Physical state	Free-flowing Paste	Relative density (Water = 1)	1.0 approx.
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	>200	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Elevated temperatures.</li> <li>Presence of open flame.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

ilorillation on toxicological	enecis		
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition		
Eye	This material can cause eye irritation and damage in some persons.		
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.		
Destruction Feel and a Basel of Blanck	TOXICITY	IRRITATION	
Dentsply Enhance Resin Blend	Not Available	Not Available	
	4 1/4 - 4 6 6 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	". 0 * \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		

Chemwatch: 4613-52 Page 5 of 6 Issue Date: 27/06/2017 Version No: 4.1.1.1 Print Date: 09/01/2018

### **Dentsply Enhance Resin Blend**

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	✓	Reproductivity	0
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	0
Respiratory or Skin sensitisation	<b>~</b>	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

🗶 – Data available but does not fill the criteria for classification

— Data available to make classification

O - Data Not Available to make classification

### **SECTION 12 ECOLOGICAL INFORMATION**

#### Toxicity

Dentsply Enhance Resin Blend	ENDPOINT TEST DURATION (HR)	SPECIES	VALUE SOURCE
	Not Available Available	Not Available	Not Not Available Available
Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data			

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

#### Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

### **SECTION 13 DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.
- ▶ Bury residue in an authorised landfill.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Labers required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

## Safety, health and environmental regulations / legislation specific for the substance or mixture

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	Υ
China - IECSC	Υ

 Chemwatch: 4613-52
 Page 6 of 6
 Issue Date: 27/06/2017

 Version No: 4.1.1.1
 Print Date: 09/01/2018
 Print Date: 09/01/2018

## **Dentsply Enhance Resin Blend**

Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Υ
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

### **SECTION 16 OTHER INFORMATION**

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC – TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.