

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

071895713

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

070495655 071196757 071196765 071196773 071196781

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

071895705 071895721 071895739 273001346

**SECTION I - Product/ Company Identification**

Product Trade Name: LolliCaine  
Common Name: 20% Benzocaine oral anesthetic

Manufacturer for: CENTRIX INC  
Address: 770 RIVER ROAD, SHELTON, CT 06484  
Emergency Telephone Number: Toll-Free (800)235-5862, (203)929-5582

**SECTION II: Hazards Identification**

Classification: Irritant.  
Adverse human health effects: May be irritating to skin. May cause sensitization by skin contact.  
GHS Classification:  
Health Environmental Physical  
Skin Sensitization Category 1(H317) Not hazardous Not hazardous

**SECTION III: SECTION III - COMPOSITION**

Hazardous Components	C.A.S.# / EC#	IUPAC Name	Substance Classification	WT%
Polyethylene Glycol	25322-68-3 / 500-038-2	Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated	Not classified as Hazardous Not Classified as Dangerous	30-50
Benzocaine	94-09-7 / 202-303-5	Ethyl p-aminobenzoate	Sens 1 (H317) Xi, R43	20

The exact concentration is being withheld as a trade secret.

**SECTION IV: SECTION IV - FIRST AID MEASURES**

**4.1 Description of First Aid Measures:**

Routes of Exposure First Aid Instructions  
Eye: Flush eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get medical attention if irritation or other symptoms persist.  
Skin: Wash skin thoroughly with soap and water. Get medical attention if symptoms develop and persist.  
Inhalation: None needed under normal use conditions. If irritation develops, remove to fresh air. Get medical attention if symptoms persist.  
Ingestion: If swallowed, call a poison control center. Only induce vomiting if directed by medical personnel. Never give anything by mouth to an unconscious person.

**4.2 Most Important Symptoms and Effects, Both Acute and Delayed:**

Contact with skin, eyes or mucous membranes may cause numbness. Repeated skin contact may cause burning and itching of the skin with dermatitis or rash.

**4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:**

If skin sensitization occurs, discontinue use and get medical attention.  
Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control of symptoms and clinical conditions.

**SECTION V - FIRE-FIGHTING MEASURES**

Extinguishing media: Water spray or carbon dioxide  
Special fire-fighting procedures: Use self-contained breathing apparatus  
Unusual fire and explosion hazards: none

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

For large spills, wear gloves and eye protection. Small spills do not require special precautions. Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities. Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.

**SECTION VII - HANDLING AND STORAGE**

For professional use only. Avoid contact with the eyes and skin. Wash thoroughly after handling. Use in accordance with package instructions. Store product in original container at cool room temperature (< 25°C) and in a dry, well-ventilated area. Avoid prolonged storage at elevated temperatures as product degradation may occur.

**SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

Occupational Exposure Limits: Polyethylene Glycol  
United States 10 mg/m3 TWA AIHA WEEL (aerosol)  
Germany 1000 mg/m3 (inhalable) DFG MAK  
European Union None Established  
Eye protection, hands protection, Engineering controls or other equipment:  
Safety glasses and plastic/rubber gloves

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

Physical Data: Boiling point: higher than 250°C  
Flash point: Higher than 300°F (Non-combustible liquid)  
Specific gravity: 1.091/25°C Solubility in water: Disperse  
Viscosity: 164,000 Centipoise (Brookfield, spindle #6, 5 RPM)  
Appearance and odor: Gel with color and specified flavor  
Melting point: N/A  
pH in water: 6.05  
Vapor pressure: Negligible

**SECTION X - STABILITY AND REACTIVITY**

Reactivity data: Stability: Stable in ordinary conditions  
Incompatibility: Strong oxidizing agents  
Hazardous decomposition products: Carbon dioxide and/or monoxide  
Hazardous polymerization: Will not occur  
Condition to avoid: None

**SECTION XI - TOXICOLOGICAL INFORMATION**

Potential Health Effects:  
Eyes: Direct contact may cause irritation with redness and tearing. Numbness may occur.  
Skin: Direct contact may cause numbness. Prolonged or repeated skin contact may cause contact dermatitis or hypersensitivity to benzocaine with burning, stinging, tenderness and edema.  
Ingestion: Swallowing may cause nausea, vomiting and diarrhea. In rare cases, benzocaine has been shown to cause methemoglobinemia.  
Inhalation: None expected from normal use. Inhalation of mists may cause respiratory irritation.  
Chronic Health Effects: None expected.  
Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives.  
Mutagenicity: No data available  
Medical Conditions Aggravated by Exposure: Employees with pre-existing skin disorders may be at increased risk from exposure.  
Acute Toxicity Data:  
Polyethylene Glycol: Oral mouse LD50 28,900 mg/kg  
Benzocaine: LD50 oral rat 3,042 mg/kg  
Reproductive Toxicity Data: No data available.  
Specific Target Organ Toxicity (STOT):  
Single Exposure: Benzocaine: When applied topically as recommended, benzocaine has been shown to be relatively nontoxic, however, sensitization may occur.  
Repeated Exposure: Propylene glycol: In 2 week inhalation study, rats were administered whole body exposure for 6 hr/day for 9 days. No exposure related clinical signs or ophthalmic changes were noted and no mortality was recorded during the study.

**SECTION XII - ECOLOGICAL INFORMATION**

Propylene glycol: Salmo salar (Atlantic salmon) >1000 mg/L  
Benzocaine: Readily biodegradable  
Benzocaine: Estimated BCF is 5. Potential for bioaccumulation is low.

**SECTION XIII - DISPOSAL CONSIDERATIONS**

Dispose in accordance with federal, state and local regulations

**SECTION XIV - TRANSPORT INFORMATION**

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
DOT	None	Not Regulated	None(s)	None	No
ADR/RID	None	Not Regulated	None(s)	None	No
IMDG	None	Not Regulated	None(s)	None	No
IATA/ICAO	None	Not Regulated	None(s)	None	No

**SECTION XV - REGULATORY INFORMATION**

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.  
Toxic Substances Control Act (TSCA): This product is a drug and not subject to chemical notification requirements.  
Clean Water Act (CWA): Not Listed  
Clean Air Act (CAA): Not Listed  
SARA Section 311/312 (40 CFR 370) Hazard Categories:  
Immediate Hazard: Yes Pressure Hazard: No Fire Hazard: No  
Delayed Hazard: No Reactivity Hazard: No

**SECTION XVI - OTHER INFORMATION**

Restrictions on use: to be sold to and used by dental professionals only.

**CAUTION**

The above information is based on presently available data and to our best knowledge for handling the product under normal conditions. Any use of this product in any way not indicated on this document or using it together with any other process/procedure will be exclusively under the user's responsibility

This product is covered by one or more of the following U.S. and foreign patents: 5001803; 5660273; 6116414; 6328159; 6685013; 6959808; D421,217; 077021; 1035033; 1197442; 7243789; and 3877764. Additional US and International Patents pending or granted.

**CENTRIX INCORPORATED**

770 River Road, Shelton, CT 06484 USA  
(203) 929-5582 (800) 235-5862 FAX (203) 929-6804  
www.centrixdental.com

