SAFETY DATA SHEETS

This SDS packet was issued with item:

072256279

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072256253 072256261 072256287 072256295

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMP No. 1218, 0072

must be consulted for specific require	ements.	Form Approved OMB No. 1218-0072					
IDENTITY (as Used on Label and Lis CASTING WAX & WAX SHEET		Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.					
Section I							
Manufacturer's name Corning Waxes Inc.		Emergency Contact					
Address (Number, Street, City, Stale and ZIP Code)		Telephone Number for Information: Tel: 631-738-0041					
1744 Julia Goldbach Ave		Effective Date:					
Ronkonkoma NY 11779	01/01/2013 Product Codes:						
Section II-Hazardous Ingre	 dients/Identity In	formation					
Hazardous Components (Specific Chemica	-)	H TLV	Other Lim		% (optional)	
N/A						(1)	
·							
0 11 111 11 1101 1	101 111						
Section III-Physical/Chemic	cal Characteristic			ı			
N/A 495 °F		Specific Gravity (H2O = 1):		35/36			
Vapor Pressure (mm Hg): N/A		Melting Point:		140/150			
Vapor Density (AIR = 1): N/A		Evaporation Rate (Butyl Acetate =	1)	N/A			
Solubility in Water: No							
Appearance and Odor: RED COLOR							
Section IV-Fire and Explosi	ion Hazard Data						
Flash Point (Method Used):	ion nazara bata	Flammable Limits	LEL	L UEL			
520 Min. Open Cup							
Extinguishing Media Foam: Dry Chemicals; CO2; No water							
Special Fire Fighting Procedures							
Dry Chemical							
Unusual Fire and Explosion Hazards							
Cool Exposed Containers With Wa	ter;						
Section V-Reactivity Data							
Stability Unstable	e:	Conditions to Avoid	d:				
No Stable							
Stable: Ye	S						

La company the Hittage (NAcota)	:- - t- A:- \.						
Incompatibility (Materials to Avoid):							
Strong Oxidants like Chlorine & Concentrated O2							
Hazardous Decompo	sition or Byproducts:						
Hazardous	May Occur	Conditio	ns to Avoid:				
Polymerization	May Occur Conditions to Avoid: Over Heating						
	Will Not Occur X						
Section VI-Health							
Route(s) of Entry	Inhalation?	Skin?	Ingestion?				
Health Hazards (Acute and Chro	No nic)	No	No				
Tiodili Tidzardo (Tiodio dila Offic	1110)						
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?				
N/A	N/A	NIA	No				
Signs and Symptoms of Exposur	70.						
NIA	е.						
Medical Conditions Generally Aggravated	hy Exposure						
	oy =poodo						
Emergency and First Aid Proced	ures:						
0	diana tan Oata Handii						
Steps to be taken in case materia	utions for Safe Handling is released or spilled.	ng and Use					
	LIDS, ADD ABSORBENT TO S	PILL AREA					
Waste Disposal Method: Incinerate							
IIICIIIerate							
Precautions to be taken in handl	ing and storing						
Keep containers closed	d. Avoid excessive heat or direct	t flame.					
Other Precautions:							
None							
Section VII-Contro	ol Measures						
Respiratory Protection (Specify	Туре):						
N/A Ventilation:	Local exhaust:		Special:				
	Normal ventilation						
	Mechanical (general)		Other:				
Protective Gloves:		Eye Protection:	<u> </u>				
Wash hands after hand Other Protective Clothing or Equ		Goggles					
None	r · · ·						
Work / Hygienic Practices:							