

SAFETY DATA SHEETS

This SDS packet was issued with item:

072258283

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071415991 071416007 072258267 072258275

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (as Used on Label and List)
Inlay Wax Sticks & Lumps

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's name
Corning Waxes Inc.

Emergency Contact

Address (Number, Street, City, State and ZIP Code)

1744 Julia Goldbach Ave
Ronkonkoma NY 11779

Telephone Number for Information:
Tel: 631-738-0041

Effective Date:
01/01/2013

Product Codes:

Section II-Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity, Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
|---|----------|-----------|--------------------------|--------------|
| N/A | | | | |

Section III-Physical/Chemical Characteristics

| | | |
|-----------------------------------|--------------------------------------|---------|
| Boiling Point: N/A 495 °F | Specific Gravity (H2O = 1): | 35/36 |
| Vapor Pressure (mm Hg): N/A | Melting Point: | 140/150 |
| Vapor Density (AIR = 1): N/A | Evaporation Rate (Butyl Acetate = 1) | N/A |
| Solubility in Water: No | | |
| Appearance and Odor: RED COLOR | | |

Section IV-Fire and Explosion Hazard Data

| | | | |
|--|------------------|-----|-----|
| Flash Point (Method Used): 520 Min. Open Cup | Flammable Limits | LEL | UEL |
| Extinguishing Media Foam: Dry Chemicals; CO2; No water | | | |
| Special Fire Fighting Procedures: Dry Chemical | | | |
| Unusual Fire and Explosion Hazards: Cool Exposed Containers With Water; | | | |

Section V-Reactivity Data

| | | |
|-----------|-----------------|----------------------|
| Stability | Unstable: No | Conditions to Avoid: |
| | Stable: Yes | |

Incompatibility (Materials to Avoid):
Strong Oxidants like Chlorine & Concentrated O2

Hazardous Decomposition or Byproducts:

| | | |
|--------------------------|---------------------|---|
| Hazardous Polymerization | May Occur | Conditions to Avoid: Over Heating |
| | Will Not Occur X | |

Section VI-Health Hazard Data

| | | | |
|------------------------------------|--------------------------|--------------------|-------------------------|
| Route(s) of Entry | Inhalation? No | Skin? No | Ingestion? No |
| Health Hazards (Acute and Chronic) | | | |

| | | | |
|--------------------------------|--------------------|--------------------------------|------------------------------|
| Carcinogenicity: N/A | NTP? N/A | IARC Monographs? NIA | OSHA Regulated? No |
|--------------------------------|--------------------|--------------------------------|------------------------------|

Signs and Symptoms of Exposure:
NIA

Medical Conditions
Generally Aggravated by Exposure

Emergency and First Aid Procedures:

Section VII-Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:
RECOVER - FREE SOLIDS, ADD ABSORBENT TO SPILL AREA

Waste Disposal Method:
Incinerate

Precautions to be taken in handling and storing
Keep containers closed. Avoid excessive heat or direct flame.

Other Precautions:
None

Section VII-Control Measures

Respiratory Protection (*Specify Type*):
N/A

| | | |
|--------------|---|----------|
| Ventilation: | Local exhaust: Normal ventilation | Special: |
| | Mechanical (general) | Other: |

Protective Gloves:
Wash hands after handling

Eye Protection:
Goggles

Other Protective Clothing or Equipment:
None

Work / Hygienic Practices: