

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

073241833

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

073241817 073241858

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Section 1: Identification

#### Product Identifier

##### Trade name:

**Premium Dispersed Phase Alloy – Fast Set**

**Product Code:** 61001, 61009, 61013, 61017, 61021, 61025, 61029, 61207, 61209, 61211

#### Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / mixture

Dental Amalgam

#### Details of the supplier of the safety data sheet

**Manufacturer by:** DMG America LLC  
242 South Dean Street  
Englewood, NJ. 07631  
Email: [info@dmg-america.com](mailto:info@dmg-america.com)  
Website: [www.dmg-america.com](http://www.dmg-america.com)

#### Emergency telephone number:

24 Hour emergency Assistance:  
**INFOTRAC US + 1-800-535-5053**

#### Information Department:

Quality Assurance / Regulatory Affairs  
General SDS Assistance Information: + 1-800-662-6383

### Section 2: Hazard(s) Identification

#### Classification of the substance or mixture:

GHS Label Elements

##### Pictogram:

Health Hazard

Skull and  
Crossbones

Corrosion



##### Signal Word:

**GHS08**  
**Danger**

**GHS06**  
**Acute Toxicity**

**GHS05**  
**Corrosive**

**Proposition 65**

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Hazard Statement - determining components of labeling:

**Danger;** My Cause damage to kidneys and central nervous system through prolonger or repeated exposure. May cause harm to unborn child.

**Toxic if inhaled;** Avoid breathing vapors, use in a well-ventilated area.

**IF INHALED;** remove to fresh air and keep at rest in a position comfortable for breathing.

**May be Corrosive to Metals;** Keep only in original container, absorb spillage to prevent material damage, store in corrosive resistant container, with a resistant inner liner

### Call a **POISON CENTER** or **DOCTOR IF YOU FEEL UNWELL**

- [American Association of Poison Control Centers](http://www.aapcc.org) (800) 222-1222

### Precautionary Statement

Avoid exposure - obtain special instructions before use.

Keep container in a well-ventilated place.

After contact with skin, wash immediately with plenty of soap and water.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (Show the label where possible).

Use appropriate container to avoid environmental contamination.

### Classification system

**NFPA ratings (scale 0 - 4)    HMIS-ratings (scale 0 - 4)**



### **Other hazards**

### **Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### Classification system

The classification was made according to the latest editions of international Substances list and expanded upon company literature and data.

## Section 3: Composition/Information on Ingredients

### Chemical characterization: Mixtures

#### **Description:**

Alloy powder and mercury in pre-dosed capsules. (this product consists of two parts pre-capsulated system; mercury and a metal alloy powder)

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

Hazardous Components	CAS Number	Exposure Limits	%
Mercury by Weight	7439-97-6	0.25mg/m <sup>3</sup>	50
Silver	7440-22-4	0.01 mg/m <sup>3</sup>	53
Tin	7440-31-5	2 mg/m <sup>3</sup>	23
Copper	7440-50-8	0.1 mg/m <sup>3</sup>	24
Zinc	7440-66-6	Not established	5

### Section 4: First-Aid Measures

#### **Description of first aid measures**

##### **General information:**

Immediately remove any clothing soiled by the product.

##### **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation

##### **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

##### **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

##### **Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

##### **Indication of any immediate medical attention and special treatment needed**

Antidote: DMPS

### Section 5: Fire-Fighting Measures

#### **Extinguishing media**

##### **Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

##### **Special hazards arising from the substance or mixture**

In case of a fire very toxic mercury fumes will generate.

Fumes are heavier than air.

#### **Advice for firefighters**

##### **Protective equipment:**

Wear self-contained respiratory protective device.

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### **Transport Canada – Guide 172**

Use extinguishing agent suitable for type of surrounding fire.  
Do not direct water at the heated metal

## Section 6: Accidental Release Measures

### **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

### **Environmental precautions**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

### **Transport Canada – Guide 172: Spill or Leak**

Do not touch or walk through spilled material.  
Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.  
Stop leak if you can do it without risk.  
Prevent entry into waterways, sewers, basements or confined areas.  
Do not use steel or aluminum tools or equipment.  
Cover with earth, sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.  
For mercury, use a mercury spill kit.  
Mercury spill areas may be subsequently treated with calcium sulphide/calcium sulfide or with sodium thiosulphate/sodium thiosulfate wash to neutralize any residual mercury

### **Methods and material for containment and cleaning up**

Spillages of mercury should be removed immediately, including from places which are difficult to access.  
Use a plastic syringe to draw it up. Smaller quantities can be covered by sulphur powder and removed.  
Avoid inhalation of vapors  
Ensure adequate ventilation.  
Dispose contaminated material as waste according to item 13.

### **Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Section 7: Handling and Storage

#### Precautions for safe handling

Only adequately trained personnel should handle this product.  
Ensure good ventilation/exhaustion at the workplace.  
For use in dentistry only

#### Information about protection against explosions and fires

Keep respiratory protective device available.

#### Conditions for safe storage,

##### **Requirements to be met by storerooms and receptacles**

Store only in unopened original receptacles  
Keep receptacle tightly sealed.  
Store receptacle in a well-ventilated area.

### Section 8: Exposure Controls/Personal Protection

#### Exposure Control

##### **Components with limit values that require monitoring at the workplace**

COMPONENTS	OCCUPATIONAL EXPOSURE LIMITS:
<b>MERCURY</b> CAS NUMBER 7439-97-6	<b>OSHA PEL:</b> TWA 0.01 mg/m <sup>3</sup> <b>CAL/OSHA PELs:</b> 0.025 mg/m <sup>3</sup> TWA 0.1 mg/m <sup>3</sup> Ceiling <b>NIOSH REL:</b> 0.05 mg/m <sup>3</sup> TWA Skin <b>NIOSH IDLH:</b> 10 mg/m <sup>3</sup> <b>TLV:</b> 0.025 mg/m <sup>3</sup> TWA
<b>SILVER</b> CAS NUMBER 7440-22-4	<b>OSHA PEL:</b> TWA 0.01 mg/m <sup>3</sup> <b>NIOSH REL:</b> TWA 0.01 mg/m <sup>3</sup> <b>NIOSH IDLH:</b> 10 mg/m <sup>3</sup> (as Ag) <b>TLV (metal):</b> 0.1 mg/m <sup>3</sup> (ACGIH 1997).
<b>TIN</b> CAS NUMBER 7440-31-5	<b>OSHA PEL*:</b> TWA 2 mg/m <sup>3</sup> *Note: The PEL also applies to other inorganic tin compounds (as Sn) except tin oxides. <b>NIOSH REL*:</b> TWA 2 mg/m <sup>3</sup> *Note: The REL also applies to other inorganic tin compounds (as Sn) except tin oxides. <b>NIOSH IDLH:</b> 100 mg/m <sup>3</sup> (as Sn) See <b>TLV:</b> (as Sn) 2 mg/m <sup>3</sup> as TWA; (ACGIH 2004). <b>MAK:</b> IIb (not established but data is available); (DFG 2004).
<b>COPPER</b> CAS NUMBER 7440-50-8	<b>OSHA PEL*:</b> TWA 1 mg/m <sup>3</sup> *Note: The PEL also applies to other copper compounds (as Cu) except copper fume. <b>NIOSH REL*:</b> TWA 1 mg/m <sup>3</sup> *Note: The REL also applies to other copper compounds (as Cu) except Copper fume. <b>NIOSH IDLH:</b> 100 mg/m <sup>3</sup> (as Cu) <b>TLV:</b> (Fume) 0.2 mg/m <sup>3</sup> ; TLV: (Dusts & mists as Cu) 1 mg/m <sup>3</sup> (ACGIH 2007). MAK: 0.1 mg/m <sup>3</sup> (Inhalable fraction) Peak limitation category: II (2) Pregnancy risk group: C (DFG 2007).
<b>ZINC</b> CAS NUMBER 7440-66-6	<b>PEL; REL; TLV:</b> Not established <b>MAK:</b> (as Zn, respirable fraction): 0.1 mg/m <sup>3</sup> ; peak limitation category: I (4); (as Zn, inhalable fraction): 2 mg/m <sup>3</sup> ; peak limitation category: I (1); pregnancy risk group: C; (DFG 2016)

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### **Appropriate engineering Controls:**

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Personal Protection**

Recommendations for personal protective measures to prevent illness or injury from exposure to chemicals, such a personal protective equipment (PPE) needed based on hazards and potential exposure.



**Safety Glasses    Dust Mask    Hand Protection    Protective Clothing**

### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Eye protection**

Tightly sealed goggles

### **Breathing equipment**

Use sufficient natural or mechanical ventilation to keep vapor exposure level below PEL

In case of brief exposure or low pollution use respiratory Mask, filter device.

In case of intensive or longer exposure use respiratory device that is independent of Circulating air

### **Recommended filter device for short term use**

Special gas filter Hg-P3

### **Protection of hands**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation after use of gloves apply skin-cleaning agents and skin cosmetics.

### **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacture.

Natural rubber, NR

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of Protective gloves and has to be observed.

## Section 9: Physical and Chemical Properties

### Information on basic physical and chemical properties

#### General Information

The physical and chemical properties in this section refer to the mercury.

#### Appearance

**Form:** Fluid

**Color:** Silver grey

**Odor:** Odorless

**Odor threshold:** Not determined.

**pH-value:** Not determined.

#### Change in condition

**Melting point/Melting range:** -38 °C (-36 °F)

**Boiling point/Boiling range:** 356 °C (673 °F)

**Flash point:** Not applicable.

**Auto igniting:** Product is not self-igniting.

**Danger of explosion:** Product does not present an explosion hazard.

#### Explosion limits:

**Lower:** Not determined.

**Upper:** Not determined.

**Vapor pressure:** Not determined.

**Density at 20 °C (68 °F):** 13.54 g/cm<sup>3</sup> (112.991 lbs/gal)

**Relative density:** Not determined.

**Vapour density:** Not determined.

**Evaporation rate:** Not determined.

#### Solubility in / Miscibility with

**Water:** Insoluble.

**Partition coefficient (n-octanol/water):** Not determined.

#### Viscosity:

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Other information** No further relevant information available



# Safety Data Sheet

## ZenithDental **Premium Dispersed Phase Alloy**

### Section 10: Stability and Reactivity

#### **Reactivity**

No further relevant information available.

#### **Chemical stability**

Stable under normal handling and storage conditions

#### **Thermal decomposition / conditions to be avoided**

No decomposition if used according to specifications.

#### **Possibility of hazardous reactions**

No dangerous reactions known.

#### **Conditions to avoid**

No further relevant information available.

#### **Incompatible materials**

No further relevant information available.

#### **Hazardous decomposition products**

None under normal conditions of storage and use

#### **Additional information**

Avoid contact with ammoniac, amines, metals and strong acids.

### Section 11: Toxicological Information

#### **Information on toxicological effects**

##### **Acute toxicity**

##### **Primary irritant effect**

##### **On the skin**

No irritant effect.

##### **On the eye**

No irritating effect.

##### **Sensitization**

Mercury may have a sensitizing effect on the skin and lungs, or act as a nephrotoxin or neurotoxin.

##### **Additional toxicological information**

The product shows the following dangers according to internally approved calculation methods for preparation.

Harmful

Very toxic

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

Alloy powder and mercury are pre-dosed in closed capsules, therefore the danger of exposition to mercury vapors are low.  
Avoid exposure of mercury to pregnant person.

### Carcinogenic categories

IARC (International Agency for Research on Cancer)  
7439-97-6 mercury 3

### NTP (National Toxicology Program)

None of the ingredients is listed.

## Section 12: Ecological Information

### Toxicity

#### **Aquatic toxicity**

No further relevant information available.

#### **Persistence and degradability**

No further relevant information available.

#### **Bio accumulative potential**

No further relevant information available.

#### **Mobility in soil**

No further relevant information available.

### Ecotoxicological effects

#### **Remark**

Very toxic for fish

### Additional ecological information

**Signal Word:** Warning – GHS09

**Pictogram:** Environmental



### **General notes**

Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system,  
Even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground  
Also poisonous for fish and plankton in water bodies  
Very toxic for aquatic organisms

### **Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects:** No further relevant information available.

# Safety Data Sheet

## ZenithDental \_ Premium Dispersed Phase Alloy

### Section 13: Disposal Considerations

#### Waste treatment methods





#### **Recommendation**

- Must be specially treated adhering to official regulations.
- Must not be disposed of together with household garbage
- Do not allow product to reach sewage system.

#### **Un-cleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

### Section 14: Transport Information

	DOT	IMDG	IATA
<b>UN-number</b>	3506	3506	3506
<b>Proper Shipping Name:</b> MERCURY CONTAINED IN MANUFACTURED ARTICLES			
<b>Class</b>	8	8	8
<b>Packing group</b>	III	III	III
<b>Labels (49CFR172.101) Environmental Hazards</b>	8+6.1 	8+6.1 	8 
<b>Limited quantity</b>	5 kg		5 L (Passenger & Cargo) 1 L (Passenger Aircraft) 60 L (Cargo aircraft only)
<b>Packaging Instructions</b>	P003		852 (Passenger & Cargo) Y841 (Passenger Aircraft) 856 (Cargo aircraft only)
<b>Special provisions</b>	366, IB3, T7, TP1, TP28	223, 274	A3, A803
<b>Additional Information</b>	The marine pollutant mark is not required when transported on inland waterways in sizes of ≤5 L or ≤ 5 kg. or by road, rail, or inland air in non-bulk sizes	The marine pollutant mark is not required when transported in ≤5 L or ≤5 kg. <b>Emergency Schedules (EMS):</b> F-A, S-B  <b>IMDG Code Segregation group:</b> 7 – Heavy metals and their salts (including their organometallic compounds) 11 – Mercury and mercury compounds	The environmentally hazardous substance mark may appear if required by other transportation regulation. 
<b>Special precaution for user: Transport within user's premises:</b> Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.			
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable</b>			

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Section 15: Regulatory Information

#### **Regulatory Information and Other regulations, limitations and prohibitive regulations**

This product is classified as a medical device under US and Canadian regulations and by the US Food and Drug Administration and Health Canada. The SDS contains all the information required by OSHA/HCS, Canadian Controlled Product regulation and Harmonized System

US																																				
EPCRA - 302	RIGHT-to-KNOW, Mercury is on the following states Right to Know Lists: California, Massachusetts, Minnesota, New Jersey, Pennsylvania																																			
Section 313	Mercury subject to Annual release reporting requirements under SARA Title III, (40 CFR 372) Reportable Quantity 1 lbs. of mercury																																			
*CERCLA 103/CASRN/ CWA/RCRA/CAA 112/RQ	<table border="1"> <thead> <tr> <th>Hazardous Substance</th> <th>Mercury</th> <th>Silver</th> <th>Tin</th> <th>Copper</th> <th>Zinc</th> </tr> </thead> <tbody> <tr> <td>CASRN</td> <td>7439-97-6</td> <td>7440-22-4</td> <td>7440-31-5</td> <td>7440-50-8</td> <td>7440-66-6</td> </tr> <tr> <td>Statutory Code</td> <td>2,3,4</td> <td>2</td> <td>-</td> <td>2</td> <td>2</td> </tr> <tr> <td>RCRA waste No.</td> <td>U151</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> </tr> <tr> <td>Final RQ Lbs. (Kg.)</td> <td>1 (0.454)</td> <td>1000 (454)</td> <td>-</td> <td>5000 (2270)</td> <td>1000 (454)</td> </tr> </tbody> </table>	Hazardous Substance	Mercury	Silver	Tin	Copper	Zinc	CASRN	7439-97-6	7440-22-4	7440-31-5	7440-50-8	7440-66-6	Statutory Code	2,3,4	2	-	2	2	RCRA waste No.	U151	-	-	-	-	Final RQ Lbs. (Kg.)	1 (0.454)	1000 (454)	-	5000 (2270)	1000 (454)					
Hazardous Substance	Mercury	Silver	Tin	Copper	Zinc																															
CASRN	7439-97-6	7440-22-4	7440-31-5	7440-50-8	7440-66-6																															
Statutory Code	2,3,4	2	-	2	2																															
RCRA waste No.	U151	-	-	-	-																															
Final RQ Lbs. (Kg.)	1 (0.454)	1000 (454)	-	5000 (2270)	1000 (454)																															
TRI Regulatory Matrix TRI Chemicals in other Federal Programs	<p>Mercury * There are no De Minimis levels for PBT chemicals, except for supplier notification purposes, Silver, Copper, Zinc - De Minimis 1.0 Tin N/A (2017)</p> <p>Hazardous Substance/CAS # EPCRA-CAA112(b)-CERCLA-NPDWR-PPL-RCRA (P - U)</p> <table border="1"> <tbody> <tr> <td>Mercury - 7439-97-6</td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> - <input type="checkbox"/></td> </tr> <tr> <td>Silver - 7440-22-4</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> - <input checked="" type="checkbox"/></td> </tr> <tr> <td>Tin - 7440-31-5</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/> - <input type="checkbox"/></td> </tr> <tr> <td>Copper - 7440-50-8</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> - <input checked="" type="checkbox"/></td> </tr> <tr> <td>Zinc - 7440-66-6</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> - <input type="checkbox"/></td> </tr> </tbody> </table>	Mercury - 7439-97-6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>	Silver - 7440-22-4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input checked="" type="checkbox"/>	Tin - 7440-31-5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>	Copper - 7440-50-8	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input checked="" type="checkbox"/>	Zinc - 7440-66-6	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>
Mercury - 7439-97-6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>																														
Silver - 7440-22-4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input checked="" type="checkbox"/>																														
Tin - 7440-31-5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>																														
Copper - 7440-50-8	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input checked="" type="checkbox"/>																														
Zinc - 7440-66-6	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> - <input type="checkbox"/>																														
OSHA	Does not consider Mercury Highly Hazardous																																			
OEHHA: Proposition 65	Mercury a chemical known to cause cancer, birth defects or other reproductive harm Developmental Toxicity (07-01-1990) AB-US-EPA																																			
CANADA																																				
WHMIS	Mercury classification D2A, E.																																			
Ingredients Disclosure List:	Mercury listed																																			
Domestic Substances List_Categorization DSL/NDSL_CAT	<p>Mercury 7439-97-6, Silver 7440-22-4, Tin 7440-31-5, Copper 7440-50-8, Met the criteria under subsection 73(1) of the Canadian Environmental Protection Act, 1999 (CEPA).</p> <p>Zinc 7440-66-6 Did not meet the criteria under subsection 73(1) of the Canadian Environmental Protection Act, 1999 (CEPA)</p>																																			

\*NOTE: The numbers under the column headed "CASRN" are the Chemical Abstracts Service Registry Numbers for each hazardous substance. The "Statutory Code" column indicates the statutory source for designating each substance as a CERCLA hazardous substance: "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act, "2" indicates that the source is section 307(a) of the Clean Water Act, "3" indicates that the source is section 112 of the Clean Air Act, and "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA). The "RCRA Waste Number" column provides the waste identification numbers assigned to various substances by RCRA regulations. The "Pounds (kg)" column provides the reportable quantity adjustment for each hazardous substance in pounds and kilograms. Appendix A to §302.4, which lists CERCLA hazardous substances in sequential order by CASRN, provides a per-substance grouping of regulatory synonyms (*i.e.*, names by which each hazardous substance is identified in other statutes and their implementing regulations):

[https://www.ecfr.gov/cgi-bin/text-idx?SID=5eb9206a60662143cb26a1b0a7263c74&mc=true&node=se40.28.302\\_14&rgn=div8](https://www.ecfr.gov/cgi-bin/text-idx?SID=5eb9206a60662143cb26a1b0a7263c74&mc=true&node=se40.28.302_14&rgn=div8)

# Safety Data Sheet


## ZenithDental Premium Dispersed Phase Alloy

### Product related hazard information:

#### Hazard symbols:

GHS Label Elements

#### Pictogram:



Signal Word: GHS08  
Danger

GHS06  
Acute Toxicity

GHS05  
Corrosive

Proposition 65

### Hazard-determining components of labeling

Mercury (hg). This product consists of a two-part pre-capsulated system: Mercury and a metal alloy powder. The health and physical hazards of this SDS are based Liquid elemental mercury

### Risk phrases

May cause harm to the unborn child.

Also, very toxic by inhalation

Also, toxic: danger of serious damage to health by prolonged exposure through Inhalation

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Safety phrases

Avoid exposure - obtain special instructions before use.

Keep container in a well-ventilated place.

After contact with skin, wash immediately with plenty of soap and water.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Use appropriate container to avoid environmental contamination.

### Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

# Safety Data Sheet

## ZenithDental Premium Dispersed Phase Alloy

### Section 16: Other Information

**Disclaimer:** The information contained herein is accurate to the best of our knowledge. My Company makes no warranty of any kind, express or implied, concerning the safe use of this material in your processor combination with other substances. This information is based on our present knowledge. Final determination of suitability of any material is the sole responsibility of the user. However, all materials may present unknown hazards and should be used with cautions. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### US.

- **(HCS) Hazard Communication Standard (2012)**  
This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) <https://www.osha.gov/dsg/hazcom/> <https://www.osha.gov/SLTC/mercury/standards.html>
- **EPCRA 302:** EPCRA section 302 (codified at 40 CFR Part 355), facilities with listed extremely hazardous substances (EHSs) in quantities greater than their Threshold Planning Quantities (TPQs) must report to the State Emergency Response Commission. TPQs are based on a combination of acute toxicity and ability of the substance to become airborne. The list of EHSs and their TPQs can be found at 40 CFR Part 355 Appendix A. For more information, contact the EPCRA Information Hotline: 1-800-535- 0202.
- **CAA 112:** The Clean Air Act (CAA) section 112(b), National Emission Standards for Hazardous Air Pollutants (NESHAPS; codified at 40 CFR Part 61), lists the Hazardous Air Pollutants and includes emissions standards and monitoring requirements for plants with listed chemicals. Contaminant Levels (MCLs) for certain chemicals. The MCL is the maximum permissible level of a contaminant in public drinking water systems. MCLs are based on health factors but are also required by law to reflect the technological and economic feasibility of removing the contaminant from the water supply. Further information is available from the Safe Drinking Water Hotline: 1-800-424-4791.
- **CERCLA:** Under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA; 42 USC 9601 et seq.), releases of listed substances at or above their Reportable Quantities (RQs) must be reported to the National Response Center. RQs are set on the basis of aquatic toxicity, acute mammalian toxicity, ignitability, reactivity, chronic toxicity, and carcinogenicity, with possible adjustment on the basis of biodegradation, hydrolysis, and photolysis. The list of CERCLA hazardous substances and their RQs can be found at 40 CFR 302.4. For more information, contact the RCRA/Superfund Hotline: 1-800-424-9346
- **NPDWR:** The National Primary Drinking Water Regulations (NPDWR) under the Safe Drinking Water Act, Subparts B and G (codified at 40 CFR Part 141) list Maximum
- **PPL:** The Clean Water Act (CWA) regulates the discharge of pollutants into waterways by industrial sources, municipal sources, and other sources. These sources of water pollution are subject to effluent limitations based on guidelines and water quality standards. Approximately 125 pollutants make up a “Priority Pollutants List” (PPL). EPA has developed water quality criteria for all the priority pollutants
- **RCRA (P/U):** Under the Resource Conservation and Recovery Act (RCRA), hazardous waste is required to be managed “cradle to grave” (i.e., from the point of generation to the point of ultimate disposal). For a waste to be classified as hazardous, it can be an F, K, P, or U listed hazardous waste (40 CFR 261.30 - 261.33) or exhibit one of the following characteristics: ignitability, corrosivity, reactivity, or toxicity. The chemicals on the P and U list are commercial chemical products, off specification species, container residues, and spill residues. The chemicals on the P list have been identified as acute hazardous waste; those on the U list have been identified as toxic waste. For more information, contact the RCRA/Superfund Hotline: 1-800-424-9346.  
<https://www.epa.gov/sites/production/files/documents/94regmat.pdf>

# Safety Data Sheet

---

## ZenithDental Premium Dispersed Phase Alloy

---

### CANADA:

- Hazardous Product Regulations (SOR/2015-17)  
<http://laws-lois.justice.gc.ca/eng/regulations/SOR-2015-17/>
- WHMIS – Workplace Hazardous Material Information System  
Canada has aligned the (WHMIS) with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). **Note:** The requirement to update safety data sheet every three years, as was the case under WHMIS 1988, no longer applies. For WHMIS 2015, the SDS must be accurate at the time of every sale or importation of the hazardous product. Suppliers have an ongoing responsibility to make sure SDSs and labels are accurate and compliant  
[https://www.ccohs.ca/oshanswers/chemicals/whmis\\_ghs/sds.html](https://www.ccohs.ca/oshanswers/chemicals/whmis_ghs/sds.html)  
<https://www.canada.ca/en/health-canada/services/environmental-workplace-health/occupational-health-safety/workplace-hazardous-materials-information-system/whmis-2015/labelling-chemicals-workplace-chemicals/new-hazardous-products-regulations-requirements/whmis-2015-variances-between-united-states-hazard-communication-standard-2012-health-canada.html>
- Domestic Substances List\_Categorization List (DSL/NDSL\_CAT)  
<https://pollution-waste.canada.ca/substances-search/Substance?lang=en>
- Transport Canada - Emergency Transport Guide 2016  
<http://www.wapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/ergmenu.aspx>  
<http://www.wapps.tc.gc.ca/saf-sec-sur/3/erg-gmu/erg/guidepage.aspx/guide172/id1153/mnid1736>