

## SAFETY DATA SHEETS

**This SDS packet was issued with item:**

074388047

N/A

# MATERIAL SAFETY DATA SHEET

## TUBLI-SEAL EXPRESS BASE

### 1 - IDENTIFICATION

**Manufacturer:** Kerr Corporation  
**Address:** 1717 West Collins Avenue  
**City, State, Zip:** Orange, CA 92867-5422  
**Telephone:** 1-800-KERR-123  
**Emergency:** Chemtrec 1-800-424-9300  
**Date Prepared:** February 08, 2007

### 2 - COMPOSITION INFORMATION

#### Hazardous Ingredients

This product contains no hazardous components as defined in the OSHA Hazard Communication Standard ( 29 CFR 1910.1200 ).

#### Other Ingredients

Mineral oil, barium sulfate, zinc oxide, lecithin, cornstarch

### 3 - PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** N/E  
**Specific Gravity (H<sub>2</sub>O = 1):** >1.0  
**Vapor Pressure (mm Hg):** N/A  
**Vapor Density (AIR = 1):** N/A  
**Solubility in Water:** Insoluble  
**Reactivity in Water:** N/A  
**Appearance and Odor:** Off-white, odorless paste

### 4 - FIRE AND EXPLOSION HAZARD DATA

**Flash Point (Method Used):** N/D  
**Flammable Limits:** LEL: N/A UEL: N/A  
**Extinguishing Media:** Carbon dioxide, foam, dry chemical.  
**Special Fire Fighting Procedures:** None  
**Unusual Fire and Explosion Hazards:** None

### 5 - REACTIVITY DATA

**Stability:** Stable  
**Conditions to Avoid:** Excessive heat  
**Incompatibility (Material to Avoid):** N/A  
**Hazardous Decomposition Products:** N/A  
**Hazardous Polymerization:** Will not occur

### 6 - HEALTH HAZARD DATA

#### **Routes of Entry:**

**Skin:** May be irritating to the skin. Repeated contact may cause allergic dermatitis.

**Eye Contact:** May be irritating to the eyes

**Inhalation:** Prolonged exposure may cause drowsiness

**Ingestion:** Consult physician

**Carcinogenicity -** NTP: No

**IARC Monographs:** No **OSHA Regulated Carcinogen:** No

### 7 - EMERGENCY FIRST AID PROCEDURES

**Skin:** Wash with soap and water

**Eyes:** Flush eyes with water for at least 15 minutes.

**Inhalation:** Remove to fresh air

**Ingestion:** Consult physician

### 8 - PRECAUTIONS FOR SAFE HANDLING & USE

**Steps to be taken in case material is released or spilled:** Wipe up with paper towels and dispose of in a suitable container.

**Waste Disposal Method:** Dispose of in accordance with local, state and federal regulations.

**Precautions to be taken in handling and storing:** Store in a cool, dry place. Wash thoroughly after handling.

### 9 - CONTROL MEASURES

**Respiratory Protection (Specify Type):** Avoid breathing vapors.

**VENTILATION:**

**Local Exhaust:** N/A

**Mechanical (General):** Should be sufficient

**Protective Gloves:** Latex gloves to avoid skin contact recommended.

**Eye Protection:** Safety glasses

**Work/Hygiene Practices:** Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure.

### 10 - TRANSPORTATION INFORMATION

Not DOT regulated.

### 11 - SPECIAL INFORMATION

**HMS (Hazardous Material Identification System) Rating:**

H1 F0 R0

[HMS Index: 4 - Severe Hazard; 3 - Serious Hazard;

2 - Moderate Hazard; 1 - Slight Hazard; 0 - Minimum Hazard]

Note: This MSDS was prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is to be used only for this product. The information in this MSDS is, to the best of our knowledge, believed to be accurate.

## SAFETY DATA SHEET

### Section 1. Product And Company Identification

**Product Name:** Tubli-Seal™ Base and Tubli-Seal™ Base Express

**Product Use:** Dental product: Endodontic Obturation Systems and Fill Products

**Manufacturer:** Kerr Corporation  
1717 W. Collins Ave.  
Orange, CA 92867-5422  
U.S.A.

**Information Phone Number:** 1-800-841-1428 (Customer Service)

**Chemical Emergency Phone Number (Chemical Spills, Leaks, Fire, Exposure or Accident only):**  
CHEMTREC 1-800-424-9300 (in the US) 1-703-527-3887 (Outside the US)

**SDS Date of Preparation/Revision:** May 21, 2019

### Section 2. Hazards Identification

**GHS Classification:**

Aquatic Acute Toxicity Category 1  
Aquatic Chronic Toxicity Category 1

**Label Elements:**

Warning!



**Hazard Phrases**

Very toxic to aquatic life with long lasting effects.

**Precautionary Phrases:**

Wash hands thoroughly after handling.  
Avoid release to the environment.  
Wear protective gloves, eye protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.  
Collect spillage.  
Dispose of contents and container in accordance with local and national regulations.

### Section 3. Composition/Information on Ingredients

Component	CAS No.	Amount
Zinc oxide	1314-13-2	60-100%
White mineral oil (petroleum)	8042-47-5	10-30%

## Section 4. First Aid Measures

**Inhalation:** Remove victim to fresh air. Get immediate medical attention if symptoms occur.

**Skin Contact:** Flush thoroughly with water. Get medical attention if irritation or symptoms of exposure develop. Remove and launder contaminated clothing before re-use.

**Eye Contact:** Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Keep the victim calm and warm. Get immediate medical attention.

**Most important symptoms and effects, acute and delayed:** May cause eye irritation and skin dryness and irritation. Ingestion may be irritating to mouth, throat and stomach.

**Indication of immediate medical attention and special treatment, if needed:** Immediate medical attention is not required.

## Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media appropriate for the surrounding fire. Cool fire exposed containers with water.

**Specific Hazards Arising from the Chemical:** Combustion may produce carbon dioxide, carbon monoxide, sulfur oxides, and metal oxides.

**Special Protective Equipment and Precautions for Fire-fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored. Cool fire-exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

## Section 6: Accidental Release Measures

**Personal precautions, Protective equipment, and Emergency procedures:** Evacuate spill area and keep unprotected personnel away. Avoid contact with eyes, skin and clothing. Wear appropriate protective clothing and equipment. Do not breathe dust or vapors.

**Environmental Precautions:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning up:** Prompt cleanup and removal are necessary. Absorb spills with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and Storage

**Precautions for Safe Handling:** Prevent contact with eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke in the work area. Use with adequate ventilation. Remove and wash contaminated clothing before reuse.

Empty containers retain product residues which can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including any Incompatibilities:** Store in a cool, dry, well-ventilated area away from direct sunlight. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

<b>Section 8. Exposure Controls / Personal Protection</b>
---

**Exposure Limits**

Chemical	Exposure Limit
Zinc oxide	15 mg/m <sup>3</sup> CEIL NIOSH REL (as dust) 5 mg/m <sup>3</sup> TWA NIOSH REL (as dust and fumes) 10 mg/m <sup>3</sup> STEL NIOSH REL (as fume)
White mineral oil (petroleum)	5 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable fraction)

**Appropriate Engineering Controls:** Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

**Respiratory Protection:** None under normal use conditions with adequate ventilation. For operations where the occupational exposure limits are exceeded, an approved respirator with particulate cartridges is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with applicable regulations and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Hand protection:** Impervious gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**Eye Protection:** Chemical safety goggles are recommended if contact is possible.

**Skin Protection:** Wear protective clothing as needed to avoid skin contact and contamination of personal clothing.

**Hygiene measures:** Suitable eye and skin washing facilities should be available in the work area.

<b>Section 9. Physical and Chemical Properties</b>
--

<b>Appearance:</b>	White paste	<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	Not available	<b>pH:</b>	Not available
<b>Melting/Freezing Point:</b>	Not available	<b>Boiling Point/Range:</b>	Not available
<b>Flash Point:</b>	Not flammable	<b>Evaporation Rate:</b>	Not available
<b>Flammability: (Solid, Gas)</b>	Not applicable	<b>Flammability Limits:</b>	LEL: Not applicable UEL: Not applicable
<b>Vapor Pressure:</b>	Not available	<b>Vapor</b>	Not available

**Relative Density:** >1  
**Partition Coefficient:** Not available  
**(N-Octanol/Water)**  
**Decomposition** Not available  
**Temperature:**

**Density:**  
**Solubilities:** Insoluble in water  
**Autoignition** Not available  
**Temperature:**  
**Viscosity:** >20.5 mm<sup>2</sup>/s (kinematic)

## Section 10. Stability and Reactivity

**Reactivity:** The product is not expected to be reactive.  
**Chemical Stability:** Stable under normal storage and handling conditions.  
**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.  
**Conditions to avoid:** Avoid excessive heat.  
**Incompatible Materials:** Oxidizing materials, acids and alkalis.  
**Hazardous decomposition products:** None if stored normally.

## Section 11. Toxicological Information

### Potential Health Effects:

**Inhalation:** None known.  
**Skin Contact:** May cause skin dryness and irritation.  
**Eye Contact:** Causes eye irritation.  
**Ingestion:** Ingestion may be irritating to mouth, throat and stomach.  
**Chronic Hazards:** Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

**Skin Sensitization:** No adverse effects expected. This product is not expected to cause skin sensitization.

**Respiratory Sensitization:** No data available. This product is not expected to cause respiratory sensitization.

**Germ Cell Mutagenicity:** None of the components are mutagenic.

**Carcinogen:** None of the components are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

**Developmental / Reproductive Toxicity:** None of the components have been shown to cause reproductive or developmental toxicity.

**Specific Target Organ Toxicity (Single Exposure):** No data available.

**Specific Target Organ Toxicity (Repeated Exposure):** No data available.

**Aspiration Toxicity:** White mineral oil (petroleum) is classified as an aspiration hazard category 1.

### Acute Toxicity Values:

Zinc oxide: LD50 Oral rat: >15000 mg/kg; LD50 Dermal rat: >2000 mg/kg;  
 LC50 Inhalation rat: 5.7 mg/L/4hr

White mineral oil (petroleum): LD50 Oral rat: >5000 mg/kg; LD50 Dermal rabbit: >2000 mg/kg;  
LC50 Inhalation rat: >5000 mg/L/4hr

**Section 12. Ecological Information**

**Toxicity:**

Zinc oxide: 96 hr LC50 Oncorhynchus mykiss 1.1 ppm;  
72 hr EC50 Pseudokirchneriella subcapitata 0.042 mg/L; 48 hr LC50 Daphnia magna 98 µg/L  
White mineral oil (petroleum): 96 hr LC50 Lepomis macrochirus >10 g/L

This product is classified as very toxic to the aquatic environment with long-term adverse effects. Releases to the environment should be avoided.

**Persistence and degradability:** Biodegradation is not applicable to inorganic substances.

**Bioaccumulative Potential:**

Zinc oxide has a BCF of 60960, potential for bioaccumulative is high.  
White mineral oil (petroleum): log P<sub>ow</sub> >6, potential for bioaccumulative is high.

**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

**Section 13. Disposal Considerations**

**Disposal:** For unused solution, flush thoroughly with large quantities of water into sewage disposal system in accordance with Federal, State, and local regulations. For used solution, the waste solution must be characterized by the generator and disposed of in accordance with Federal, State, and local regulations.

**Container Disposal:** Rinse empty container thoroughly with water and discard clean, empty container as general trash or offer for recycling, if available.

**Section 14. Transport Information**

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
<b>US DOT</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>Canada TDG</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>IMDG</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide). Marine pollutant (Zinc oxide)	9	III	Yes
<b>IATA/ICAO</b>	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Zinc oxide)	9	III	Yes

		oxide)			
--	--	--------	--	--	--

**Section 15. Regulatory Information**

**U.S. Federal Regulations:**

**EPA SARA 311/312 Hazard Classification:** Refer to Section 2 for OSHA Hazard Classification.

**EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):**

Zinc oxide	1314-13-2	60-100%
------------	-----------	---------

**Protection Of Stratospheric Ozone:** This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

**CERCLA SECTION 103:** This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**US EPA TSCA Inventory:** All of the components of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory or exempt.

**Canadian Regulations:**

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**National Pollutant Release Inventory (NPRI):** This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements NPRI: None

**International Inventories**

**Australia:** All of the components in this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

**China:** All of the components in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC) or exempt.

**European Union:** All the components in this product are listed on the EINECS inventory or exempt.

**Korea:** All of the components in this product are listed on the Korean Existing Chemicals List (KECL) or exempt.

**New Zealand:** All of the components in this product are listed on the New Zealand Inventory of Chemicals (NZIoC) or exempt.

**Section 16. Other Information**

NFPA Rating: Fire: 0                      Health: 1                      Instability: 0





**Effective Date:** May 21, 2019

**Supersedes Date:** October 21, 2014

**Revision Summary:** All Sections – New SDS format

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date of preparation, however, KERR Corporation makes no warranty with respect to the accuracy or suitability of the recommendations, and assumes no liability to any use thereof.