

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

074389078

**The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).**

074389110 074310538 074389003 074389011 074389029 074389037 074389045 074389052 074389060 074389086

074389094 074389102

# KERR

## Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.C.H.)

Revision Date: 05<sup>th</sup> September 2008

### SECTION 1

#### Product & Company identification

1.1 Product name

**PREMISE FLOWABLE** (all shades)

1.2 Uses/Application:

Dental restorative material.

1.3 Company (Name, address and info phone number)

**KERR ITALIA S.r.l.**

Via Passanti, 332

84018 Scafati (SA) - Italy

Free Phone: 00-800-41-050-505

1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39.081.8508.325 (08.00-17.00, European time, GMT+1)

E-mail address: [safety@kerrhawe.com](mailto:safety@kerrhawe.com)

### SECTION 2

#### Hazard identification

2.1 Hazard classification (according to communitarian directives 67/548/EEC & 99/45/EC)

Sensitizing.

2.2 Other hazard

Uncured material may be harmful if swallowed.

### SECTION 3

#### Composition/Information on Ingredients

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

3.1 Hazardous ingredients

HAZARDOUS INGREDIENTS	%	HAZARD SYMBOLS	RISK PHRASES	CAS N.	EINECS N.
Benzoyl Peroxide (BPO)	< 1	E; Xi	2-36-43	94-36-0	202-327-6
Mixture of: Propylene Carbonate and Antimonate salts	< 0,5 < 0,5	Xi Xi; N	36 43-50/53	108-32-7 (71449-78-0 & 89452-37-9)	203-572-1 403-500-0
Dibutyl Phtalate (DBP)	< 0,5	T; N	61-62-50	84-74-2	201-557-4

3.2 Other non-hazardous ingredients

Uncured Methacrylate Ester Monomers, Titanium Dioxide (TiO<sub>2</sub>) and pigments.

**SECTION 4****First aid measures**

- 4.1 Treatment for eye contact: Flush with water for 15 minutes including under eyelids. If irritation persists, seek medical attention.
- 4.2 Treatment for skin contact: Wash thoroughly with soap and water.
- 4.3 Treatment for inhalation (breathing): Remove to fresh air. If irritation persists, seek medical attention.
- 4.4 Treatment for ingestion (swallowing): Rinse mouth out with water - do not induce vomiting. Seek medical attention.

**SECTION 5****Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Chemical foam, CO<sub>2</sub>, dry chemical.
- 5.2 Forbidden extinguishing media: Unknown.
- 5.3 Special fire fighting measures: None. Wear a self contained breathing apparatus.
- 5.4 Unusual fire and explosion hazards: Heat can cause polymerization with rapid release of energy.
- 5.5 Special protection equipment: Sealed overall against liquids and gases.

**SECTION 6****Accidental Release Measures**

- 6.1 Personal Precautions: Follow recommended precautions listed in other sections.
- 6.2 Environmental Precautions: Material should not be allowed to drain into sewers.
- 6.3 Reclaiming Methods: Absorb spills with inert material. Prevent spilled material to reach sewers.

**SECTION 7****Handling and Storage** (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: Handle away from sources of ignition. Avoid exposure to excessive heat.
- 7.2 Precautions in case of Fire and Explosion: Extinguish all ignition sources.
- 7.3 Storage Conditions: Store in a cool, dry place away from heat, light and ignition sources.
- 7.4 Suggested container(s): Original sealed containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid the contact with reducing and oxidizing agents, peroxides and amines.
- 7.6 Environmental precautions: Do not allow product to reach sewers and rivers.
- 7.7 Other Precautions: Use according to directions.

<b>SECTION 8</b>	
<b>Exposure controls/personal protection</b>	
<i>8.1 Exposure Limits:</i>	<u>PEL/TLV</u> (TiO <sub>2</sub> ): 3,1ppm (10mg/m <sup>3</sup> ); (BPO): 0,5ppm (5 mg/m <sup>3</sup> ); (DBP): 0,4 ppm (5 mg/m <sup>3</sup> )
<i>8.2 Exposure control measures</i>	
<i>8.2.1 Precautionary Measures:</i> (according to communitarian directives 89/686/EEC & article 4 of 98/24/EC)	
Ventilation:	<u>Local Exhaust Ventilation:</u> Good general ventilation should be sufficient to control airborne levels of vapours released by uncured material. <u>Special Ventilation:</u> None required. <u>Mechanical (General) Ventilation:</u> Good general ventilation recommended. <u>Other Ventilation:</u> None required.
Respiratory Protection:	Avoid prolonged or excessive breathing of vapours of uncured material
Hands Protection:	Impervious rubber gloves recommended when contacting uncured material
Eyes Protection:	Not required if used as directed. Safety glasses may be used.
Skin Protection:	Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure to uncured material.
Other Protective Equipments:	It would be better to use a lab coat.
<i>Measures listed in this paragraph are to be considered as indications and NOT prescriptions (89/656/EEC)</i>	
<i>8.2.2 Environment exposure control measures</i> Not Applicable.	

<b>SECTION 9</b>	
<b>Physical and Chemical Properties</b>	
<i>9.1 General information</i>	
<u>Appearance:</u> Pigmented paste	<u>Odour:</u> Fruity ester-like odour.
<i>9.2 Information related to health, safety and environment</i>	
<u>pH:</u> Not available	<u>Relative density:</u> Not determined
<u>Boiling point:</u> Not determined (N/D)	<u>Specific gravity:</u> 2,5 g/ml
<u>Flash point:</u> Not determined	<u>Solubility:</u> Insoluble
<u>Flammability:</u> Not flammable.	<u>Partition coefficient n-octanol/water:</u> N/D
<u>Lower Explosivity Limit (L.E.L.):</u> N/A	<u>Viscosity:</u> Not determined
<u>Upper Explosivity Limit (U.E.L.):</u> N/A	<u>Vapour density (air = 1):</u> Not determined
<u>Oxidizing properties:</u> None	<u>Evaporation rate (n-butane = 1):</u> Not determined
<u>Vapour pressure:</u> Not determined	<u>Melting point:</u> Not determined
<i>9.3 Other information (according to communitarian directive 94/9/EC):</i>	
<u>Miscibility:</u> Not determined	<u>Conducibility:</u> Not determined
<u>Solubility in Lipids:</u> Not determined	<u>Gases Group:</u> N/A

**SECTION 10****Stability and Reactivity**

Stability: Stable if stored as directed.

10.1 Conditions to avoid: Heat, light, aging and contamination.

10.2 Materials to avoid (incompatibility): Reducing and oxidizing agents, peroxides and amines.

10.3 Hazardous decomposition products: Carbon oxides.

Other precautions:

Hazardous Polymerization Products: May occur

Safety significance in case of change in physical appearance: None

Stabilizers: The product is stabilized with non-hazardous polymerization inhibitors.

**SECTION 11****Toxicological Information**

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

No

Effects and hazards of eye contact: May cause irritation and damage if not removed promptly.

Effects and hazards of skin contact: Prolonged or repeated exposure to uncured material may cause irritation or skin rash especially in sensitive individuals.

Effects and hazards of Inhalation (Breathing): Prolonged or excessive inhalation may cause respiratory tract irritation.

Effects and hazards of Ingestion (Swallowing): Uncured material may be harmful if swallowed.

Effects for prolonged Exposure: Unknown.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

<b>Titanium Dioxide</b>	LD <sub>50</sub> (oral rat)	> 20000 mg/Kg
	LD <sub>50</sub> (skin rabbit)	> 10000 mg/Kg
	LC <sub>50</sub> (inhalation rat/4hrs)	> 6,8 mg/l
<b>BPO</b>	LD <sub>50</sub> (oral rat)	> 5000 mg/Kg
	LC <sub>50</sub> (inhalation rat/4hrs)	> 24,3 mg/l
<b>DBP</b>	LD <sub>50</sub> (oral rat)	8000 mg/Kg
	LD <sub>50</sub> (skin rabbit)	20000 mg/Kg

**SECTION 12****Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

Aquatic toxicity data for ingredients:

<b>Titanium Dioxide</b>	LC <sub>50</sub> (Leuciscus Idus)	> 1000 mg/l (48 hours)
	EC <sub>50</sub> (Daphnia magna, crustacea)	> 3 mg/l (30days)
	EC <sub>50</sub> (Pseudomonas fluorescens)	> 10000 mg/l (24 hours)
<b>BPO</b>	LC <sub>50</sub> (Fishes, acute toxicity)	2,0 mg/l (96 hours)
	EC <sub>50</sub> (Daphnia)	2,91 mg/l (48 hours)
	EC <sub>50</sub> (Bacteria, breathing inhibition of active muds)	35 mg/l
<b>DBP</b>	LC <sub>50</sub> (Fishes, acute toxicity)	1,2 mg/l (96 hours)
	LC <sub>50</sub> (Daphnia)	1-10 mg/l (96 hours)

**SECTION 13****Disposal considerations**

Unpolymerized (uncured) material may be hazardous waste. Dispose of in accordance of local regulations.

**SECTION 14****Transport information**14.1 Sea transportation (IMDG)

The product is not regulated.

14.2 Air transportation (ICAO/IATA)

The product is not regulated.

14.3 Transportation by Road/Railway (RID/ADR)

The product is not regulated.

**SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)**Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

**SECTION 16****Other information**16.1 Risk phrases of all ingredients

- 43 May cause sensitisation by skin contact.  
 2 Risk of explosion by shock, friction, fire or other source of ignition  
 36 Irritating to eyes.  
 50/53 Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.  
 61 May cause harm to the unborn child  
 62 Possible risk of impaired fertility

16.1.1 Safety phrases of all ingredients

- 2 Keep out of the reach of children.  
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
 61 Avoid release to the environment. Refer to special instructions / safety data sheets

16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – [www.ecb.jrc.it](http://www.ecb.jrc.it))

European chemical Substances Information System (ESIS - [www.ecb.jrc.it/esis](http://www.ecb.jrc.it/esis))

A.C.G.I.H. ([www.acgih.org](http://www.acgih.org))

N.I.O.S.H. ([www.cdc.gov/niosh/](http://www.cdc.gov/niosh/))

O.S.H.A. ([www.osha.gov/](http://www.osha.gov/))

U.E. ([www.europa.eu/index\\_it.htm](http://www.europa.eu/index_it.htm))

I.A.R.C. ([www.iarc.fr/](http://www.iarc.fr/))

N.T.P. ([www.ntp.niehs.nih.gov](http://www.ntp.niehs.nih.gov))

European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of personal protective equipment at the workplace (third individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

**CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.



# KERR

## Material Safety Data Sheet

in accordance with Community Regulation 2006/1907/EC (R.E.A.C.H.)

Revision Date: 05<sup>th</sup> September 2008

### SECTION 1

#### Product & Company identification

1.1 Product name

**PREMISE FLOWABLE** (all shades)

1.2 Uses/Application:

Dental restorative material.

1.3 Company (Name, address and info phone number)

**KERR ITALIA S.r.l.**

Via Passanti, 332

84018 Scafati (SA) - Italy

Free Phone: 00-800-41-050-505

1.4 Emergency phone (according to communitarian directive 99/45/EC, article 17)

+39.081.8508.325 (08.00-17.00, European time, GMT+1)

E-mail address: [safety@kerrhawe.com](mailto:safety@kerrhawe.com)

### SECTION 2

#### Hazard identification

2.1 Hazard classification (according to communitarian directives 67/548/EEC & 99/45/EC)

Sensitizing.

2.2 Other hazard

Uncured material may be harmful if swallowed.

### SECTION 3

#### Composition/Information on Ingredients

(according to communitarian directives 67/548/EEC, 99/45/EC & 2001/58/EC)

3.1 Hazardous ingredients

HAZARDOUS INGREDIENTS	%	HAZARD SYMBOLS	RISK PHRASES	CAS N.	EINECS N.
Benzoyl Peroxide (BPO)	< 1	E; Xi	2-36-43	94-36-0	202-327-6
Mixture of:					
Propylene Carbonate	< 0,5	Xi	36	108-32-7	203-572-1
and Antimonate salts	< 0,5	Xi; N	43-50/53	(71449-78-0 & 89452-37-9)	403-500-0
Dibutyl Phtalate (DBP)	< 0,5	T; N	61-62-50	84-74-2	201-557-4

3.2 Other non-hazardous ingredients

Uncured Methacrylate Ester Monomers, Titanium Dioxide (TiO<sub>2</sub>) and pigments.

**SECTION 4****First aid measures**

- 4.1 Treatment for eye contact: Flush with water for 15 minutes including under eyelids. If irritation persists, seek medical attention.
- 4.2 Treatment for skin contact: Wash thoroughly with soap and water.
- 4.3 Treatment for inhalation (breathing): Remove to fresh air. If irritation persists, seek medical attention.
- 4.4 Treatment for ingestion (swallowing): Rinse mouth out with water - do not induce vomiting. Seek medical attention.

**SECTION 5****Fire-fighting Measures**

- 5.1 Suitable extinguishing media: Chemical foam, CO<sub>2</sub>, dry chemical.
- 5.2 Forbidden extinguishing media: Unknown.
- 5.3 Special fire fighting measures: None. Wear a self contained breathing apparatus.
- 5.4 Unusual fire and explosion hazards: Heat can cause polymerization with rapid release of energy.
- 5.5 Special protection equipment: Sealed overall against liquids and gases.

**SECTION 6****Accidental Release Measures**

- 6.1 Personal Precautions: Follow recommended precautions listed in other sections.
- 6.2 Environmental Precautions: Material should not be allowed to drain into sewers.
- 6.3 Reclaiming Methods: Absorb spills with inert material. Prevent spilled material to reach sewers.

**SECTION 7****Handling and Storage** (according to article 5 of communitarian directive 98/24/EC)

- 7.1 Handling Precautions: Handle away from sources of ignition. Avoid exposure to excessive heat.
- 7.2 Precautions in case of Fire and Explosion: Extinguish all ignition sources.
- 7.3 Storage Conditions: Store in a cool, dry place away from heat, light and ignition sources.
- 7.4 Suggested container(s): Original sealed containers provided by manufacturer.
- 7.5 Indication for Combined Storage: Avoid the contact with reducing and oxidizing agents, peroxides and amines.
- 7.6 Environmental precautions: Do not allow product to reach sewers and rivers.
- 7.7 Other Precautions: Use according to directions.

<b>SECTION 8</b>	
<b>Exposure controls/personal protection</b>	
<i>8.1 Exposure Limits:</i>	<u>PEL/TLV</u> (TiO <sub>2</sub> ): 3,1ppm (10mg/m <sup>3</sup> ); (BPO): 0,5ppm (5 mg/m <sup>3</sup> ); (DBP): 0,4 ppm (5 mg/m <sup>3</sup> )
<i>8.2 Exposure control measures</i>	
<i>8.2.1 Precautionary Measures:</i> (according to communitarian directives 89/686/EEC & article 4 of 98/24/EC)	
Ventilation:	<u>Local Exhaust Ventilation:</u> Good general ventilation should be sufficient to control airborne levels of vapours released by uncured material. <u>Special Ventilation:</u> None required. <u>Mechanical (General) Ventilation:</u> Good general ventilation recommended. <u>Other Ventilation:</u> None required.
Respiratory Protection:	Avoid prolonged or excessive breathing of vapours of uncured material
Hands Protection:	Impervious rubber gloves recommended when contacting uncured material
Eyes Protection:	Not required if used as directed. Safety glasses may be used.
Skin Protection:	Handle in accordance with good personal hygiene and safety practices. These practices include avoiding unnecessary exposure to uncured material.
Other Protective Equipments:	It would be better to use a lab coat.
<i>Measures listed in this paragraph are to be considered as indications and NOT prescriptions (89/656/EEC)</i>	
<i>8.2.2 Environment exposure control measures</i> Not Applicable.	

<b>SECTION 9</b>	
<b>Physical and Chemical Properties</b>	
<i>9.1 General information</i>	
<u>Appearance:</u> Pigmented paste	<u>Odour:</u> Fruity ester-like odour.
<i>9.2 Information related to health, safety and environment</i>	
<u>pH:</u> Not available	<u>Relative density:</u> Not determined
<u>Boiling point:</u> Not determined (N/D)	<u>Specific gravity:</u> 2,5 g/ml
<u>Flash point:</u> Not determined	<u>Solubility:</u> Insoluble
<u>Flammability:</u> Not flammable.	<u>Partition coefficient n-octanol/water:</u> N/D
<u>Lower Explosivity Limit (L.E.L.):</u> N/A	<u>Viscosity:</u> Not determined
<u>Upper Explosivity Limit (U.E.L.):</u> N/A	<u>Vapour density (air = 1):</u> Not determined
<u>Oxidizing properties:</u> None	<u>Evaporation rate (n-butane = 1):</u> Not determined
<u>Vapour pressure:</u> Not determined	<u>Melting point:</u> Not determined
<i>9.3 Other information (according to communitarian directive 94/9/EC):</i>	
<u>Miscibility:</u> Not determined	<u>Conducibility:</u> Not determined
<u>Solubility in Lipids:</u> Not determined	<u>Gases Group:</u> N/A

**SECTION 10****Stability and Reactivity**

Stability: Stable if stored as directed.

10.1 Conditions to avoid: Heat, light, aging and contamination.

10.2 Materials to avoid (incompatibility): Reducing and oxidizing agents, peroxides and amines.

10.3 Hazardous decomposition products: Carbon oxides.

Other precautions:

Hazardous Polymerization Products: May occur

Safety significance in case of change in physical appearance: None

Stabilizers: The product is stabilized with non-hazardous polymerization inhibitors.

**SECTION 11****Toxicological Information**

CMR effects (Carcinogenicity, Mutagenicity and toxicity for reproduction):

No

Effects and hazards of eye contact: May cause irritation and damage if not removed promptly.

Effects and hazards of skin contact: Prolonged or repeated exposure to uncured material may cause irritation or skin rash especially in sensitive individuals.

Effects and hazards of Inhalation (Breathing): Prolonged or excessive inhalation may cause respiratory tract irritation.

Effects and hazards of Ingestion (Swallowing): Uncured material may be harmful if swallowed.

Effects for prolonged Exposure: Unknown.

Toxic-kinetic effects: Unknown.

Effects on metabolism: Unknown.

Toxicological data for ingredients:

<b>Titanium Dioxide</b>	LD <sub>50</sub> (oral rat)	> 20000 mg/Kg
	LD <sub>50</sub> (skin rabbit)	> 10000 mg/Kg
	LC <sub>50</sub> (inhalation rat/4hrs)	> 6,8 mg/l
<b>BPO</b>	LD <sub>50</sub> (oral rat)	> 5000 mg/Kg
	LC <sub>50</sub> (inhalation rat/4hrs)	> 24,3 mg/l
<b>DBP</b>	LD <sub>50</sub> (oral rat)	8000 mg/Kg
	LD <sub>50</sub> (skin rabbit)	20000 mg/Kg

**SECTION 12****Ecological Information**

This product has not known ecological hazardous effects.

12.1 Eco-toxicity: Not available

12.2 Mobility: Not available

12.3 Persistence and degradability: Not available

12.4 Bioaccumulative potential: Not available

12.5 Results of PBT (Persistent Bio-Toxicity) assessment: Not available

12.6 Other adverse effects: Not available

Aquatic toxicity data for ingredients:

<b>Titanium Dioxide</b>	LC <sub>50</sub> (Leuciscus Idus)	> 1000 mg/l (48 hours)
	EC <sub>50</sub> (Daphnia magna, crustacea)	> 3 mg/l (30days)
	EC <sub>50</sub> (Pseudomonas fluorescens)	> 10000 mg/l (24 hours)
<b>BPO</b>	LC <sub>50</sub> (Fishes, acute toxicity)	2,0 mg/l (96 hours)
	EC <sub>50</sub> (Daphnia)	2,91 mg/l (48 hours)
	EC <sub>50</sub> (Bacteria, breathing inhibition of active muds)	35 mg/l
<b>DBP</b>	LC <sub>50</sub> (Fishes, acute toxicity)	1,2 mg/l (96 hours)
	LC <sub>50</sub> (Daphnia)	1-10 mg/l (96 hours)

**SECTION 13****Disposal considerations**

Unpolymerized (uncured) material may be hazardous waste. Dispose of in accordance of local regulations.

**SECTION 14****Transport information**14.1 Sea transportation (IMDG)

The product is not regulated.

14.2 Air transportation (ICAO/IATA)

The product is not regulated.

14.3 Transportation by Road/Railway (RID/ADR)

The product is not regulated.

**SECTION 15** (Classification according to communitarian directives 67/548/EEC & 99/45/EC)**Regulatory information**

Hazard labelling not required.

This product is an exempted medical device (directive 1999/45/EC, article 1, paragraph 5g).

**SECTION 16****Other information**16.1 Risk phrases of all ingredients

- 43 May cause sensitisation by skin contact.  
 2 Risk of explosion by shock, friction, fire or other source of ignition  
 36 Irritating to eyes.  
 50/53 Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.  
 61 May cause harm to the unborn child  
 62 Possible risk of impaired fertility

16.1.1 Safety phrases of all ingredients

- 2 Keep out of the reach of children.  
 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
 61 Avoid release to the environment. Refer to special instructions / safety data sheets

16.2 Sources of key data used to compile the Safety Data Sheet:

European Chemicals Bureau (ECB – [www.ecb.jrc.it](http://www.ecb.jrc.it))

European chemical Substances Information System (ESIS - [www.ecb.jrc.it/esis](http://www.ecb.jrc.it/esis))

A.C.G.I.H. ([www.acgih.org](http://www.acgih.org))

N.I.O.S.H. ([www.cdc.gov/niosh/](http://www.cdc.gov/niosh/))

O.S.H.A. ([www.osha.gov/](http://www.osha.gov/))

U.E. ([www.europa.eu/index\\_it.htm](http://www.europa.eu/index_it.htm))

I.A.R.C. ([www.iarc.fr/](http://www.iarc.fr/))

N.T.P. ([www.ntp.niehs.nih.gov](http://www.ntp.niehs.nih.gov))

European Community Directives:

67/548/EEC:	Classification, packaging and labelling of dangerous substances.
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations.
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed arrangement of specific information relating to dangerous preparations (art. 14 of 99/45/EC) and substances (art. 27 of 67/548/EEC).
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of personal protective equipment at the workplace (third individual directive within the meaning of Article 16 (1) of Directive 89/391/EEC).
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective equipment.
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective systems intended for use in potentially explosive atmospheres
98/24/EC:	Protection of the health and safety of workers from the risks related to chemical agents at work.

Document modification history: First version in compliance of Community Regulation 2006/1907/EC (R.E.A.Ch.)

**CAUTION: PRODUCT FOR PROFESSIONAL USE**

The information on this Safety Sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this Sheet or the use of this product together with any other process/procedure will be exclusively under the user's responsibility. This document does not constitute explicit or implicit warranty of product quality or fitness for a particular purpose.

**Section 1. Identification**

**GHS product identifier** : Premise Flowable

**Other means of identification** : Not available.

**Product type** : Paste.

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Dental product: Composite

**Area of application** : Professional applications.

**Manufacturer** : **Kerr Corporation**  
1717 West Collins Avenue  
Orange, CA 92867-5422  
Telephone no.: 1-800-KERR-123

**e-mail address of person responsible for this SDS** : edwin.varela@kavokerrgroup.com

**Emergency telephone number (with hours of operation)** : CHEMTREC® (24 hours) U.S. : 1-800-424-9300 International: +1-703-527-3887

**Section 2. Hazards identification**

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

**Classification of the substance or mixture** : SKIN IRRITATION - Category 2  
EYE IRRITATION - Category 2A  
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 28.5%

**GHS label elements**

**Hazard pictograms** :



**Signal word** : Warning

**Hazard statements** : Causes serious eye irritation.  
Causes skin irritation.  
May cause respiratory irritation.

**Precautionary statements**

**Date of issue/Date of revision** : 04/06/2015 **Date of previous issue** : No previous validation **Version** : 1 1/12



## Section 2. Hazards identification

- Prevention** : Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling.
- Response** : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Hazards not otherwise classified** : None known.

## Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Not available.

### CAS number/other identifiers

- CAS number** : Not applicable.
- Product code** : Not available.

Ingredient name	Other names	%	CAS number
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-3-trimethoxysilylpropyl methacrylate	Not available.	10-30	41637-38-1
2,2'-ethylenedioxydiethyl dimethacrylate	3-trimethoxysilylpropyl methacrylate	5-10	2530-85-0
2-ethylhexyl 4-(dimethylamino)benzoate	2,2'-ethylenedioxydiethyl dimethacrylate	5-10	109-16-0
	2-ethylhexyl 4-(dimethylamino)benzoate	1-5	21245-02-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.**

## Section 4. First aid measures

### Description of necessary first aid measures

- Eye contact** : No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Inhalation** : No special measures required. If inhaled, remove to fresh air. Get medical attention if symptoms occur.
- Skin contact** : No special measures required. In case of contact, immediately flush skin with plenty of water. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

**Date of issue/Date of revision** : 04/06/2015 **Date of previous issue** : No previous validation **Version** : 1 2/12

## Section 4. First aid measures

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : Do not use water jet.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds  
metal oxide/oxides

## Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely
- For emergency responders** : Low release. See also the information in "For non-emergency personnel".
- Environmental precautions** : Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.
- Large spill** : Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

- Appropriate engineering controls** : No special measures are required for small quantities under normal and intended conditions of product use.

## Section 8. Exposure controls/personal protection

**Environmental exposure controls** : No special measures are required for small quantities under normal and intended conditions of product use.

### Individual protection measures

**Hygiene measures** : No special measures are required for small quantities under normal and intended conditions of product use.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : No special measures are required for small quantities under normal and intended conditions of product use.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : No special measures are required for small quantities under normal and intended conditions of product use.

## Section 9. Physical and chemical properties

### Appearance

**Physical state** : Liquid. [Paste.]

**Color** : Various

**Odor** : Fruity ester-like

**Odor threshold** : Not available.

**pH** : Not available.

**Melting point** : Not available.

**Boiling point** : Not available.

**Flash point** : Not available.

**Evaporation rate** : Not available.

**Flammability (solid, gas)** : Not applicable.

**Lower and upper explosive (flammable) limits** : Not available.

**Vapor pressure** : Not available.

**Vapor density** : Not available.

**Relative density** : 2.5 [Water = 1]

**Solubility** : Insoluble in the following materials: cold water and hot water.

**Solubility in water** : Not available.

**Partition coefficient: n-octanol/water** : Not available.

## Section 9. Physical and chemical properties

**Auto-ignition temperature** : Not available.

**Decomposition temperature** : Not available.

**SADT** : Not available.

**Viscosity** : Not available.

## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.  
Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : Keep away from heat and direct sunlight. Heat can cause polymerization with rapid release of energy.

**Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials and reducing materials.  
Amine. Peroxide.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-trimethoxysilylpropyl methacrylate	LD50 Oral	Rat	23504 mg/kg	-
2,2'-ethylenedioxydiethyl dimethacrylate	LD50 Oral	Rat	10837 mg/kg	-

**Conclusion/Summary** : Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
3-trimethoxysilylpropyl methacrylate	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

#### Sensitization

Not available.

#### Conclusion/Summary

**Skin** : Kligman score: Grade I (weak sensitizer)

#### Mutagenicity

**Date of issue/Date of revision** : 04/06/2015 **Date of previous issue** : No previous validation **Version** : 1 6/12

## Section 11. Toxicological information

Not available.

**Conclusion/Summary** : Not mutagenic in Ames test.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-2,2'-ethylenedioxydiethyl dimethacrylate	Category 3	Not applicable.	Respiratory tract irritation
	Category 3	Not applicable.	Respiratory tract irritation
2-ethylhexyl 4-(dimethylamino)benzoate	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Inhalation** : Adverse symptoms may include the following:  
respiratory tract irritation  
coughing
- Skin contact** : Adverse symptoms may include the following:  
irritation  
redness
- Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Date of issue/Date of revision** : 04/06/2015 **Date of previous issue** : No previous validation **Version** : 1 7/12

## Section 11. Toxicological information

### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Poly(oxy-1,2-ethanediyl), α,α'-[(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-3-trimethoxysilylpropyl methacrylate	3.43 to 5.62	2372	high
2,2'-ethylenedioxydiethyl dimethacrylate	2.1	-	low
2-ethylhexyl 4-(dimethylamino)benzoate	1.88	-	low
	5.77	-	high

### Mobility in soil

## Section 12. Ecological information

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

	DOT Classification	IMDG	IATA
<b>UN number</b>	Not regulated.	Not regulated.	Not regulated.
<b>UN proper shipping name</b>	-	-	-
<b>Transport hazard class(es)</b>	-	-	-
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	No.	No.	No.
<b>Additional information</b>	-	-	-

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : **TSCA 8(a) PAIR:** mequinol; oxybenzone  
**United States inventory (TSCA 8b):** All components are listed or exempted.  
**Clean Water Act (CWA) 307:** zinc oxide; zinc hexafluorosilicate  
**Clean Water Act (CWA) 311:** zinc hexafluorosilicate

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed



## Section 15. Regulatory information

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
ethylene oxide	<0.0188	Yes.	1000	-	10	-

**SARA 304 RQ** : 59101.7 lbs / 26832.2 kg [2835.3 gal / 10732.9 L]

### SARA 311/312

**Classification** : Immediate (acute) health hazard

#### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Poly(oxy-1,2-ethanediyl), $\alpha,\alpha'$ -[(1-methylethylidene)di-4,1-phenylene]bis[ $\omega$ -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-3-trimethoxysilylpropyl methacrylate	10-30	No.	No.	No.	Yes.	No.
2,2'-ethylenedioxydiethyl dimethacrylate	5-10	No.	No.	No.	Yes.	No.
2-ethylhexyl 4-(dimethylamino) benzoate	5-10	Yes.	No.	No.	Yes.	No.
	1-5	No.	No.	No.	Yes.	No.

### SARA 313

Not applicable.

### State regulations

**Massachusetts** : The following components are listed: MINERAL WOOL FIBER

**New York** : None of the components are listed.

**New Jersey** : The following components are listed: FLUORIDES

**Pennsylvania** : None of the components are listed.

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
ethylene oxide	Yes.	Yes.	Yes.	Yes.
Titanium dioxide	Yes.	No.	No.	No.

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### History

<b>Date of issue/Date of revision</b>	: 04/06/2015
<b>Date of previous issue</b>	: No previous validation
<b>Version</b>	: 1
<b>Prepared by</b>	: IHS
<b>Key to abbreviations</b>	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

<b>References</b>	: HCS (U.S.A.)- Hazard Communication Standard International transport regulations
-------------------	--

✓ Indicates information that has changed from previously issued version.

### Notice to reader

<b>Date of issue/Date of revision</b>	: 04/06/2015	<b>Date of previous issue</b>	: No previous validation	<b>Version</b>	: 1	11/12
---------------------------------------	--------------	-------------------------------	--------------------------	----------------	-----	-------

## Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.