SAFETY DATA SHEETS

This SDS packet was issued with item: 074582409

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071069566 071365402 071365436 071365469 071365493 071403054 071403062 071403070 074582672 71365402 71365469 71365493

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

071379510 071379528 071379536 071379544 071379551 074582375 074582383 074582391 074582417 074582425 074582433 074582466 074582631 074591889 074591897 074591905 074591921 074591939 074592606 074592614 074592630 074592648 074592655 074599973

LANG®

Effective Date 26-May-2021

SAFETY DATA SHEET

Version 5

	1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	SELF CURING DENTURE POWDER / JET DENTURE REPAIR POWDER		
<u>Other means of identification</u> SDS# Product Code	004 0830, 0834, 0850, 0856, 0870, 0880 / 1212, 1220, 1223, 1230, 1234, 1250, 1256, 1270, 1280		
Recommended use of the che Recommended Use	the chemical and restrictions on use Fabrication of dentures		
<u>Details of the supplier of the s</u> Supplier Address	<u>the safety data sheet</u> Lang Dental Mfg. Co., Inc. 175 Messner Dr. Wheeling, IL 60090 USA		
Emergency telephone numbe Company Phone Number Emergency Telephone (INFOT	+1 847-215-6622		
Authorized European Represe	entative MediMark [®] Europe SARL 11, rue Emile Zola. BP 2332 38033 Grenoble Cedex 2 France Tel: +33 476 86 43 22 Fax: +33 476 17 19 82 Email: info@medimark-europe.com		

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Skin sensitization		C	Category 1		
Signal word	Warning				
Hazard statements	H317 May cause ar	n allergic skin reactior	1.		
Physical State	Powder	Appearance	Fine, white to pigmented	Odor	Faint odor in bulk
Precautionary State	P264 Wash hands a P272 Contaminated	and exposed skin tho work clothing should	nist, vapors or spray. roughly after handling. I not be allowed out of the workplace. clothing/eye protection/face protection.		
Precautionary State	P363 Wash contam P302+P352 IF ON S P305+P351 IF IN E +P338 to do –	KIN: Wash with soap YES: Rinse continuou continue rinsing.		e contact lens	ses if present and easy

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists, get medical advice/attention.

Precautionary Statements – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight - %	Trade Secret
Polymer	9011-14-7	< 90	*
Benzoyl peroxide	94-36-0	< 2	*

*Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Inhalation	Remove to fresh air. Keep at rest in a position comfortable for breathing. Get medical attention if discomfort persists.
Eye contact	Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, get medical advice / attention.
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center
Skin Contact	immediately and provide an estimate of when and how much material was ingested. Wash with soap and water. If irritation persists, call a physician. Take off contaminated clothing and wash before reuse.

Most important symptoms and effects, both acute and delayed

Symptoms Skin contact may aggravate an existing dermatitis. Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Water, chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide (CO₂), Unsuitable: Water may not be effective in extinguishing this fire.

Specific hazards arising from the chemical

For bulk size: Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective equipment and precautions for firefighters

For bulk size: Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static charge, follow grounding and bounding procedures. Polymers are not sensitive to mechanical impacts.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.

Methods and material for containment and clean-up

Method for containment	Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material, sand
	or earth. May contaminate water supply.
Method for clean-up	Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up
-	spills. Clean up in accordance with all applicable regulations. Wash all affected areas with plenty of
	warm water and soap.

7. HANDLING AND STORAGE

Precautions for safe handling Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin, eyes or clothing. Avoid breathing dust or fume. Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed to prevent water absorption and contamination. Store in a dry, cool and well-ventilated place away from direct sunlight or other sources of light or intense heat. Temperature not to exceed 35°C.		
Packaging materials	Keep in original container.		
Incompatible materials	Strong oxidizing agents		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Benzoyl peroxide 94-36-0	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	
Appropriate engineering controls	Apply technical measures to comply with the occupational exposure limits. When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers.			
Individual protection measures, such a	s personal protective equip	<u>ment</u>		
Eye / face protection	Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29 CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.			
Skin and body protection	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29 CFR SS1910.138 or the appropriate standards of Canada or the EC member states.			
Respiratory protection	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, EC member states or Australia. VENTILATION: Local exhaust at processing equipment.			
General hygiene considerations	Handle in accordance with g	good industrial hygiene and safety p	ractice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Powder Fine White to pigmented	Odor	Faint odor in bulk
Property	Values		
Flash point	304°C / 579°F		
Autoignition Temperature	80°C		
Evaporation rate	Not applicable		
Flammability limits in air			
Upper flammability limit	Not applicable		
Lower flammability limit	Not applicable		
Specific gravity	0		

10. STABILITY AND REACTIVITY

Reactivity **Chemical stability** Possibility of hazardous reactions Hazardous polymerization Incompatible materials Hazardous decomposition products

Not reactive under normal conditions Stable under recommended storage conditions None under normal processing Does not occur. Strong oxidizing agents Methacrylate monomer, oxides of carbon when burned

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposures Product information

This product has not been tested on animals to obtain toxicology data. Not expected to be an inhalation hazard under normal conditions of intended use Avoid contact with eyes. Eve contact Skin contact Avoid contact with skin. Do not taste or swallow.

Information on physical, chemical and toxicological effects See Section 4.

Symptoms

Inhalation

Ingestion

Delayed and immediate effects as well as chronic effects from short and long-term exposure Component Carcinogenicity No data available

12. ECOLOGICAL INFORMATION

Component Ecotoxicity

There is no specific data available for this product; however, very large releases may be harmful or fatal to overexposed aquatic life. Not determined

Persistence and degradability Bioaccumulation Not determined Mobility Not determined Other adverse effects Not determined

13. DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> Disposal of wastes	Follow all local and national government regulations in disposing material or contaminated packaging.
Contaminated Packaging	For bulk only: Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers properly in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

EINECS This product is a medical device and not subject to chemical notification requirements.

US Federal Regulations

This product is an FDA regulated device and not subject to TSCA regulations. TSCA

SARA 302 - Extremely Hazardous - Not Listed

SARA 311 / 312 Hazard Categories - This product is an FDA regulated device and not subject to reporting requirements. SARA 313 - Toxic Chemicals, component Benzoyl peroxide 94-36-0 Listed

US State Regulations

California Proposition 65 - This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: None

16. OTHER INFORMATION				
HMIS	Health Hazards	Flammability	Physical Hazards	
	1	1		
	1	1	0	

Effective Date 26-May-2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

LNG

SAFETY DATA SHEET

Version 5

Effective Date 03-Mar-21

IDENTIFICATION 1.

<u>Product Identifier</u> Product Name	SELF CU	RING DENTURE LIQUID
Other means of identification SDS# UN/ID No Product Code	044 UN1993 0804, 0806, 0807, 0808, 0834, 0856	
Recommended use of the che		
Recommended Use	Self-curing	g acrylic resin
Details of the supplier of the s		
Supplier Address	Lang Dental Mfg. Co., Inc. 175 Messner Dr. Wheeling, IL 60090 USA	
Emergency telephone number Company Phone Number Emergency Telephone (INFOT	_	+1-847-215-6622 +1-352-323-3500 (International) 800-535-5053 (North America)
Authorized European Represe	<u>entative</u>	MediMark [®] Europe SARL 11, rue Emile Zola. BP 2332 38033 Grenoble Cedex 2 France Tel: +33 476 86 43 22 Fax: +33 476 17 19 82 Email: info@medimark-europe.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Flammable liquids	Category 2
Skin Corrosion / Irritation	Category 2
Skin Sensitization	Category 1
Specific Target Organ Toxicity - Single Exposure	Category 3
(Respiratory)	

Signal word

Danger

Clear

- Hazard statements H225 Highly flammable liquid and vapor.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.H335 May cause respiratory irritation.



Appearance

Liquid

Odor Acrid

Precautionary Statements – Prevention

- P210 Keep away from heat/sparks/open flames/ hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements – Response

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before use.

P370+P378 In case of fire: Use CO2, for extinction.

Precautionary Statements – Storage

P235 Keep cool.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements – Disposal

P501 Dispose of contents/container in accordance with local regulation.

Hazardous component(s) for labeling Contains methyl methacrylate

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight - %	Trade Secret
Methyl Methacrylate	80-62-6	>95	*
N, N-Dimethyl-p-Toluidine	99-97-8	<1	*

*Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

First all measures	
Inhalation	Remove victim to fresh air. Keep at rest in a position comfortable for breathing. Seek immediate medical attention.
Eye contact	Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. If irritation persists, call a physician immediately.
Ingestion	If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately and provide an estimate of when and how much material was ingested. Seek immediate medical attention.
Skin Contact	Wash with soap and water. If irritation, redness or swelling persists, call a physician immediately. Take off contaminated clothing and wash before reuse.
Most important sympt	oms and effects, both acute and delayed
Symptoms	No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide,

Unsuitable: Water spray or water stream may not be effective.

Specific hazards arising from the chemical

For bulk size >1L – High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may cause spontaneous polymerizing reaction generating heat/pressure. Closed containers may rupture or explode during a runaway polymerization. This product is flammable liquid. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. Vapor forms an explosive mixture with air.

Hazardous Combustion Products

Acrid smoke-fumes/carbon monoxide/carbon dioxide and perhaps other toxic vapors may be released during a fire involving this product.

Special Fire Fighting Procedures

Use a water spray or fog to reduce or direct vapors, and keep containers cool. Water may not be effective in actually extinguishing a fire involving this product. Do not enter fire area without proper protection. Fight fire from a safe location. Structural firefighters must wear SCBAs and full protective equipment. Heat/Impurities may cause pressure to build and/or rupture closed containers, spreading fire, increasing risk of burns/injuries.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus for firefighting if necessary. Do not enter area without proper protection. Fight fire from safe distance/protected location. Heat /impurities may increase temperature/build pressure/rupture closed containers, spreading fire, increasing risk of burns/injuries. Use water spray to cool unopened containers. Pressure relief system may plug with solids creating risk of overpressure.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Before cleaning any spill or leak, individuals must wear personal protective equipment as required. Remove any contaminated clothing and wash thoroughly before reuse.
Environmental precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
Methods and material for contain	ment and clean-up
Method for containment	Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. DO NOT use combustible materials such as sawdust. May contaminate water supply.
Method for clean-up	Maximize ventilation (open doors and windows) and secure all sources of ignition. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Keep away from heat, sparks, and flame. Keep container closed after each use. Avoid contact with skin, eyes and clothing. Use good personal hygiene and housekeeping. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling product. Keep away from heat, sparks, and flame. Keep container closed after each use. Ground and bond all containers when transferring. Observe precautions found on the label.
Conditions for safe storage, inclu	ding any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,
sparks, flame and other sources of ignition. Protect from direct sunlight. Keep container closed to
prevent water absorption and contamination. Methacrylate stored in bulk quantities must be kept in
contact with air (oxygen). Keep at temperature not exceeding 30°C/86 °F.
Keep in original container.Packaging materialsKeep in original container.
Strong oxidizing agents, strong reducing agents, free-radical generators, inert gases, oxygen
scavengers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required. The following information is given as general guidance.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Methyl Methacrylate	STEL: 100 ppm	TWA:100 ppm	TWA:100 ppm
80-62-6	TWA: 50 ppm	TWA: 410 mg/m ³	TWA: 410 mg/m ³

ACGIH = American Conference of Governmental Industrial Hygienists / OSHA = Occupational Safety and Health Administration PEL = Permissible Exposure Levels / STEL – Short Term Exposure Limit / TLV – Threshold Limit Value / TWA = Time Weighted Average

Appropriate engineering controls

Engineering controls For bulk size: Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits.

Individual protection measures, such as personal protective equipment

Eye / face protection	Depending on the use of this product, safety glasses or goggles may be worn. If necessary, refer to US OSHA 29CFR SS1910.133, Canadian standards or the European Standard EN 166. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Skin and body protection	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear gloves for routine industrial use. If necessary, refer to US OSHA 29CFR SS1910.138 or the appropriate standards of Canada or the EC member states. Wear suitable protective clothing.
Respiratory protection	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per US OSHA requirement in 29 CFR SS 1910.134, or applicable US state regulations, or the appropriate standards of Canada, its provinces, or the EC member states. VENTILATION: Local exhaust at processing equipment.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Food, beverages and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Liquid Clear	Odor Odor threshold	Acrid Not determined
<u>Property</u> pH Melting point / Freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability limits in air	Values Not determined Not determined 101°C / 214° F 12°C / 54°F Not determined n/a (liquid)	<u>Remarks / Method</u>	
Upper flammability limit Lower flammability limit Specific gravity Autoignition temperature <u>Other information</u> Density	Not applicable Not applicable 0.949 421°C / 790°F 0.949 g/mL	Water = 1	

10. STABILITY AND REACTIVITY

Reactivity

Unstable/Reactive upon depletion of inhibitor.

Chemical stabilityStable under recommended storage conditions.Possibility of hazardous reactionsNone under normal processingHazardous polymerization Hazardous polymerization may occur.

Incompatible materials

Strong oxidizing agents, strong reducing agents, free-radical generators, inert gases, oxygen scavengers Material has strong solvent properties and can soften paint and rubber.

Hazardous decomposition products Carbon oxides

11. TOXICOLOGICAL INFORMATION

 Mixture Toxicity
 Inhalation Toxicity: 4,632 mg/L

 Component Toxicity
 No data available

 Routes of Exposure
 No data available

 Target Organs – Eyes, Skin, Respiratory System
 Inhalation

 Inhalation
 Harmful if inhaled.

 Eye contact
 Causes severe eye irritation.

 Skin contact
 Causes skin irritation. May be harmful in contact with skin.

 Ingestion
 May be harmful if swallowed.

Product Components Listed as Carcinogenic None

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae / aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Methyl Methacrylate 80-62-6	170: 96 h Pseudokirchneriella subcapitata mg/L EC50	243-275: 96 h Pimephales promelas mg/L LC50 flow-through; 125.5-190.7: 96 h Pimephales promelas mg/L LC50 static; 170-206: 96 h Lepomis macrochirus mg/L LC50 flow-through; 153.9-341.8: 96 h Lepomis macrochirus mg/L LC50 static; 326.4-426.9 96 h Poecilia reticulata mg/L LC50 static; >79: 96 h Oncorhynchus mykiss mg/L LC50 flow-through; >79: 96 h Oncorhynchus mykiss mg/L LC50 static		69: 48 h Daphnia magna mg/L EC50

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Follow all local and national government regulations in disposing material or contaminated packaging.

For U.S. - Dispose of in accordance with federal, state and local regulations. When discarded, it is considered a hazardous waste by the EPA under RCRA. The reportable quantity for methyl methacrylate is 1000 lb. (40 CFR Part 302). Add excess inhibitor before disposing.

Contaminated Packaging

UN / ID No

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material associated with empty containers. Dispose of all empty containers in accordance with local and national government regulations.

14. TRANSPORTATION INFORMATION

DOT

UN1993

Proper shipping name	Flammable liquid, n.o.s. (Methyl Methacrylate monomer, stabilized /	
	N,N-Dimethyl-p-Toluidine solution)	
Hazard Class	3	
Packing Group		
Reportable Quantity (RQ)	1000 lb. (methyl methacrylate)	

IATA

UN / ID No	UN1993
Proper shipping name	Flammable liquid, n.o.s. (Methyl Methacrylate monomer, stabilized / N.N-Dimethyl-p-Toluidine solution)
Hazard Class	3
Packing Group	

IMDG

-			
	UN / ID No	UN1993	
	Proper shipping name	Flammable liquid, n.o.s. (Methyl Methacrylate monomer, stabilized /	
		N,N-Dimethyl-p-Toluidine solution)	
Ī	Hazard Class	3	
Ī	Packing Group	I	

15. REGULATORY INFORMATION

International Inventories

Methyl methacrylate 80-62-6					
TSCA	Listed	United States Toxic Substances Control Act, Section 8(b) Inventory			
DSL	Listed	Canadian Domestic Substances List			
EINECS	Listed	European Inventory of Existing Chemical Substances			
EU Regulations	EC No. 1272/2008 (CLP) Classification, Labeling, Packaging Medical Devices Directive 93/42/EEC - Class I Medical Devices				
US Federal Regulations		SARA 302 – Extremely hazardous substance - not listed SARA 311/312 – Hazard categories – listed Methyl methacrylate 80-62-6 SARA 313 – Methyl Methacrylate 80-62-6			

<u>US State Regulations</u> California Proposition 65 – Warning. This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: None

US State Right-to-Know Regulations Not established

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability
	2	3	2
HMIS	Health Hazards	Flammability	Physical Hazards
	2	3	2

Effective Date 03-Mar-21

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet