

SAFETY DATA SHEETS

This SDS packet was issued with item:

077061286

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

077061955 077061963

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

1 Identification

- **Product identifier**
- **Trade name:** *Ufi Gel SC/P adhesiv*
- **Application of the substance / the mixture** *Adhesive for silicone relining*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
VOCO GmbH
Anton-Flettner-Str. 1-3
D-27472 Cuxhaven
- **Information department:** *Scientific department tel. +49 (0)4721-719-0*
- **Emergency telephone number:** *Scientific department tel. +49 (0)4721-719-0*

2 Hazard(s) identification

Health effects are based on the unmixed/uncured material.

Under FDA regulations this product is classified as a medical device.

Medical devices are exempt from the labelling provisions of GHS according to the Hazard Communication Standard (HCS).

- **Classification of the substance or mixture**

The product is classified according to the Globally Harmonized System (GHS).



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**

- **Hazard pictograms** *GHS02, GHS07*

- **Signal word** *Danger*

- **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** *Use only for intended scope of application*

- **Results of PBT and vPvB assessment**

- **PBT:** *Not applicable.*

- **vPvB:** *Not applicable.*

US

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

78-93-3	butanone	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	50-100%
---------	----------	--	---------

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO2, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
For dental use only.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
See storage instructions on package
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

78-93-3 butanone (50-100%)

PEL	Long-term value: 590 mg/m ³ , 200 ppm
REL	Short-term value: 885 mg/m ³ , 300 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV	Short-term value: 885 mg/m ³ , 300 ppm Long-term value: 590 mg/m ³ , 200 ppm
BEI	

- **Ingredients with biological limit values:**

78-93-3 butanone (50-100%)

BEI	2 mg/L Medium: urine Time: end of shift Parameter: MEK
-----	---

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
The usual precautionary measures for handling chemicals should be followed.
- **Protection of hands:** Not required.
- **Material of gloves** Not required.
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
------------------------------	---------------

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 3)

Boiling point/Boiling range:	Undetermined.
Flash point:	-4 °C (25 °F)
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Density:	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

78-93-3 butanone

Oral LD50 3300 mg/kg (rat)

Dermal LD50 5000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 4)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|--|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN1193 |
| · UN proper shipping name | |
| · DOT | Ethyl methyl ketone mixture |
| · ADR | 1193 Ethyl methyl ketone mixture |
| · IMDG, IATA | ETHYL METHYL KETONE (MET HYL ETHYL KETONE) mixture |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 3 Flammable liquids |
| · Label | 3 |
| · ADR, IMDG, IATA | |
|  | |
| · Class | 3 Flammable liquids |
| · Label | 3 |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | II |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Flammable liquids |
| · Danger code (Kemler): | 33 |
| · EMS Number: | F-E,S-D |

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 5)

- | | |
|---|--|
| · Stowage Category | B |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | UN 1193 ETHYL METHYL KETONE MIXTURE, 3, II |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

Contact Voco for mor informations

78-93-3 butanone

· **TSCA (Toxic Substances Control Act):**

Contact Voco for more information

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed

· **Cancerogenity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients are listed

· **TLV (Threshold Limit Value established by ACGIH)**

Contact VOCO for more information.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS02, GHS07

· **Signal word** Danger

· **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Ground/bond container and receiving equipment.

Keep container tightly closed.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/21/2019

Reviewed on 10/21/2019

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 6)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.

*

16 Other information

The information contained herein is based on our present knowledge and is believed to be correct at the date issued. The information is subject to change without notice. However, all information, statements, recommendations or suggestions shall not constitute any guarantee, representation or warranty, expressed or implied.

Final determination whether the product is fit and suitable for a particular purpose and the user's method of use or application is the sole responsibility of the user.

· **Department issuing SDS:** Scientific department

· **Contact:** Tel.: +49 (0)4721-719-0

· **Date of preparation / last revision:** 10/21/2019 / 9

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

US