SAFETY DATA SHEETS

This SDS packet was issued with item:

070226621

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

070167338 070167346 070216317 070216325 070217091 070217117 070217125 070217133 070217141 070217158 070217166 070226084 070226134 070226605 070226639 070226647 070226654 070226662 070226670 070226688 070226845 070226852 070226860

Iveri Whitening Inc. MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

Product Identifier WHIMIS Classification Teeth Whitening Gel (Iveri At Home, Iveri Anywhere Whitening Pen, Iveri In Office) Product Use Dental Whitening Gel Manufacturer's Name Supplier's Name Iveri Whitening Inc. Street Address Street Address 7-1900 Clark Blvd. City Province City Province Brampton Ontario Ontario Postal Code **Emergency Telephone** Postal Code **Emergency Telephone** 1.888.451.0555 L6T0E9

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

MDSD Prepared by

Jag Dhamrait

Hazardous Ingredients	%	CAS Number	LD 50 of Ingredient	LC 50 of Ingredient
(specific)			(specify species and route)	(specify species)
Carbamide Urea	15-36	124-43-6	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
Peroxide				
Hydrogen	6-14%	7722-84-1	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
Peroxide				

SECTION 3 - HAZARDS IDENTIFICATION

(Emergency Overview)

Date MSDS Prepared

Jan 2, 2011

Main Hazards:







Phone Number 416.231.9444

"O" – Oxidizing R: Phrases

R34 Causes Burns

R36/37/38 Irritating to eyes, respiratory system and skin.

41 Risk of serious damage to eyes

WHIMIS Symbols
Potential Health Effects

Irritation to the eyes and skin.

SECTION 4 - FIRST AID MEASURES

Skin Contact

Immediately rinse with	n plenty of water.				
Eye Contact					
Rinse opened eye wit	h plenty of water fo	or several r	ninutes, then consult a doctor.		
	ro to frook air imm	odiataly If	broothing is difficult give		
•	te to fresh all liffille	edialely. II	breathing is difficult give		
Oxygen. Ingestion					
Wash out mouth with	water. Do not indu	ice vomitin	g. If conscious, give half a		
litre of water to					
SECTION 5 – FIRE F		200			
SECTION 5 - FIRE F	IGHTING MEASUR	KES			
Flammable	If yes, under		which conditions?		
YES					
Means of Extinction	wata all naraannal	lloo prote	active equipment for fire		
1	•	•	ective equipment for fire hen the product is involved in		
a fire. Contact profes	• • • • • • • • • • • • • • • • • • • •	•	•		
Flashpoint (° C) and Method	Upper Flammable Limit (%		Lower Flammable Limit (% by volume)		
60	2.6	• ,	12.5		
Autoignition Temperature (° C)	Explosion Date – Sensitivi	ity to Impact	Explosion Date – Sensitivity to Static		
415	N/A		Discharge N/A		
Hazardous Combustion Products			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
050510110 40010					
SECTION 6 – ACCID	ENTAL RELEASE	MEASURE	=S		
Leak and Spill Procedures					
Scoop up, wash with p	plenty of water. Mo	op and disp	oose of in DOT approved		
containers.					
SECTION 7 – HANDLING AND STORAGE					
Handling Procedures and Equipment					
Observe normal safety regulations when handling chemicals. Wash hands					
thoroughly after handling.					
Store Requirements					
Store in a cool dry place, protected from sunlight.					
SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION					
Exposure Limits		\bigcirc \bigcirc	ther (enecify)		
Specific Engineering Controls (such as ventilation, enclosed process) Other (specify)					
Provide general or local exhaust ventilation.					
Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type					
Protective gloves and eyewear.					
Section 9 – Physical and Chemical Properties					

Physical State	Odour and Appearance	Odour Threshold (ppm)
Clear,thick gel.	Slight mint odor.	n/a
Specify Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
1.063	2.62	n/a
Evaporation Rate	Boiling Point	Freezing Point (° C)
< 0.1	187	n/a
рН	Coefficient of Water/Oil Distsribution	Solubility in Water
6.5 approx	n/a	Complete

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?			
Stable – Yes	This, and of which conditions.			
Incompatible with Other Substances	If yes, which ones?			
Yes	· ·			
163	Strong alkalies, strong acids. Most metals.			
	Peroxides are strong oxidizing agent.			
Reactivity, and under what conditions?				
Acts as an oxidizing agent. Avoid excessive heat and direct sunlight.				
Hazardous Decomposition Products				
Oxygen. Burning may liberate nitrogen oxides, ammonia, carbon dioxide and				
carbon monoxide.				
SECTION 11 - TOXICOLO	GICAL INFORMATION			
Effects of Acute Exposure				
Irritant				
Effects of Chronic Exposure				
n/a				
	Irritancy of Product			
Irritant to the skin and eyes				
Skin Sensitization	Respiratory Sensitization			
No sensitization effects kno	own n/a			
Carcinogenicity – IARC	Carcinogenicity - ACGIH			
n/a	n/a			
Embrotoxicity	Teratogenicity			
n/a	n/a			
Name of synergistic products/effects	Mutagenicity			
n/a	n/a			

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity

No data is available on the effects of this material on the environment. Biological decomposability. Biodegradable. No ecological problems to be anticipated if properly handled and used.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal

Take to a waste incineration plant, under conditions approved by the local authority. Consult local, state and federal environmental protection agencies before disposing on any chemical.

SECTION 14 - TRANSPORT INFORMATION

Land Transport

Special Shipping Information

Non-Hazardous for transport in small amounts.

PIN N/A DOT

Not regulated

Land Transport

ADR/RID Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

AIR Transport

ICAO/IATA Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Hazard: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

SEA Transport

IMDG Class: 5.1 Oxidizing substances

Danger Code: 58
Packing Group: III
Secondary Code: 8
UN-Number: 1511

HS Code: 2847-00-00 Hazard Label: 5.1 + 8

Proper shipping name: Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen

Peroxide, Sodium Hydroxide)

SECTION 15 - REGULATORY INFORMATION







R Phrases

R10 Flammable
R41 Contact with acids liberates toxic gas
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact
R8 Corrosive

S Phrases

S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

WHMIS Classification	OSHA	
SERA	TSCA	
This product has been classified in accordance with the hazard criteria of the		
Controlled Deadwate Deadwate (CDD) and the MCDC contains all of the		

I his product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16 – OTHER INFORMATION

This information is based on our present knowledge. However, this shall not
constitute a guarantee for any specific product features and shall not establish a
legally valid contractual relationship.
Health Hazard: 1; Fire Hazard:1; Reactivity:0;
R10 Flammable
R36/37/38 Irritating to eyes, skin and respiratory system
R43 May cause sensitization by skin contact