

SAFETY DATA SHEETS

This SDS packet was issued with item:

074577649

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071297233 071297241 074577102 074577110 074577128 074577136 074577144 074577151 074577169 074577177
074577185 074577193 074577201 074577219 074577235 074577243 074577250 074577268 074577276 074577284
074577292 074577607 074577615 074577623 074577631 074577755 074577763 074577771 074577789 074577797
074577805 074577813 074577821 074577839 074577847 074577854 074577862 074577888 074577896 074577904
074577912 074577920 074577938 074577946 074578050 074578068 074578076 074578084 074578092 074578100
074578118 074578126 074578134 074578142 074578159 074578167 074578175 074578183 074578191 074578308
074578316 074578324 074578332 074578340 074578456 074578464 074578472 075228150

Safety Data Sheet

According to HPR

Printing date 11/20/2020

Version 4

Reviewed on 11/20/2020

1 Identification

- **Product identifier**
- **Trade name:** CLEARFIL MAJESTY ES-2; Classic, Premium and Universal
- **Article number:** CA178-CP
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Dental filling material
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
Kuraray Noritake Dental Inc.
1621 Sakazu, Kurashiki, Okayama 710-0801,
Japan
- **Contact information:**
Kuraray America, Inc.
32 Old Slip, 7th Floor, New York,
NY 10005 U.S.A.
Tel: 800-879-1676
Fax: 888-700-5200
Website: www.kuraraydental.com
- **Emergency telephone number:**
For chemical emergency spill, leak, fire, exposure or accident
Call CHEMTREC day and night
Within USA and Canada: 1-800-424-9300 CCN706984 or
+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

- Skin Irritation - Category 2 H315 Causes skin irritation.
- Eye Irritation - Category 2A H319 Causes serious eye irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms** GHS07

- **Signal word** Warning

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

- **Hazard-determining components of labeling:** bisphenol A diglycidylmethacrylate

CA

(Contd. on page 2)

Safety Data Sheet
According to HPR

Printing date 11/20/2020

Version 4

Reviewed on 11/20/2020

Trade name: CLEARFIL MAJESTY ES-2; Classic, Premium and Universal

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

1565-94-2	bisphenol A diglycidylmethacrylate	5-15% w/w
	⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	

· **Other ingredients:**

- Silanated barium glass filler
- Pre-polymerized organic filler
- Hydrophobic aromatic dimethacrylate
- Hydrophobic aliphatic dimethacrylate
- dl-Camphorquinone
- Accelerators
- Initiators
- Pigments

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** See Section 8.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

CA

(Contd. on page 3)

Trade name: CLEARFIL MAJESTY ES-2; Classic, Premium and Universal

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

CA

(Contd. on page 4)

Safety Data Sheet According to HPR

Printing date 11/20/2020

Version 4

Reviewed on 11/20/2020

Trade name: CLEARFIL MAJESTY ES-2; Classic, Premium and Universal

(Contd. of page 3)

9 Physical and chemical properties

· Information on basic physical and chemical properties
· General Information
· Appearance:

Form:	Pasty
Color:	Different according to coloring

· Odor:	Odorless
----------------	----------

· Odor threshold:	Not determined
--------------------------	----------------

· pH-value:	Not determined
--------------------	----------------

· Change in condition

Melting point/Melting range:	Not determined
-------------------------------------	----------------

Boiling point/Boiling range:	Not determined
-------------------------------------	----------------

· Flash point:	Not determined
-----------------------	----------------

· Ignition temperature:	Not determined
--------------------------------	----------------

· Decomposition temperature:	Not determined
-------------------------------------	----------------

· Danger of explosion:	Product does not present an explosion hazard.
-------------------------------	---

· Explosion limits:

Lower:	Not determined.
---------------	-----------------

Upper:	Not determined.
---------------	-----------------

· Oxidizing properties	Not determined
-------------------------------	----------------

· Vapor pressure:	Not determined
--------------------------	----------------

· Density at 20 °C:	1.8 g/cm ³
----------------------------	-----------------------

· Relative density	Not determined
---------------------------	----------------

· Vapor density	Not determined
------------------------	----------------

· Evaporation rate	Not determined
---------------------------	----------------

· Solubility in / Miscibility with

Water:	Insoluble.
---------------	------------

· Partition coefficient (n-octanol/water):	Not determined
---	----------------

· Viscosity:	Not determined
---------------------	----------------

· Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

· Reactivity	No further relevant information available.
---------------------	--

· Chemical stability
· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions	No dangerous reactions known.
---	-------------------------------

· Conditions to avoid	No further relevant information available.
------------------------------	--

· Incompatible materials:	No further relevant information available.
----------------------------------	--

· Hazardous decomposition products:	Carbon monoxide and carbon dioxide
--	------------------------------------

11 Toxicological information

· Information on toxicological effects
· Acute toxicity:
· Primary irritant effect:

on the skin:	Irritating effect
---------------------	-------------------

(Contd. on page 5)

Safety Data Sheet According to HPR

Printing date 11/20/2020

Version 4

Reviewed on 11/20/2020

Trade name: CLEARFIL MAJESTY ES-2; Classic, Premium and Universal

(Contd. of page 4)

- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product is not subject to classification according to internally approved calculation methods for preparations:
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|------|
| <ul style="list-style-type: none"> · UN-Number · DOT, TDG, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, TDG, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT, TDG, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · Packing group · DOT, TDG, IMDG, IATA | Void |

(Contd. on page 6)

**Safety Data Sheet
According to HPR**

Printing date 11/20/2020

Version 4

Reviewed on 11/20/2020

Trade name: CLEARFIL MAJESTY ES-2; Classic, Premium and Universal

(Contd. of page 5)

· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· **Sara**

· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· SARA 311/312: See Section 2 for the information on physical and health hazards.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Canadian substance listings:
· Canadian Domestic Substances List (DSL)
All ingredients are listed.
· Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients is listed.
· Canadian Ingredient Disclosure list (limit 1%)
None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· *** Data compared to the previous version altered.**